

WHAT IS TAUTOPATHY?

BY
Dr. RAMANLAL P. PATEL

[This is not the complete book. If you want to get this book please contact
with the Publisher or Distributor. See last page for detail.]

CONTENTS

	<i>Page</i>
1. What is Tautopathy?.....	1
2. Tautopathic Drugs.....•.....	18
3. Preparations of Medicines.....	23
4. Side effects of Drugs.....	26
5. Proving of Drugs	55
6. A Few Cases.....	91

WHAT IS TAUTOPTHY?

Tautopathy (Tauto-same) is a method of curing or removing bad or side effects of drugs by iso-intoxication, i. e., curing by means of the identical harmful agent in potentised form.

It is not the science of similars but that of the identicals. Even you cannot think of Isopathy with it. It is more than that. Isopathy is the theory that a disease may be cured or prevented by administering one or more of its own products. You may say that the Isopathy in the case of the Serum & Vaccine is potentiated, somewhat as in Homoeopathy and therefore removes it from the identical sphere. I say, a big No. Although potentiated, it does not alter the fact that it was not in the first place similar, but identical. In the second place, it has been potentiated in mass production and potentiated and filtered, *not through an inert substance*, but through living creatures and a lower order of creatures. So it (Isopathy) does not take the place of Homoeopathy and not at all of Tautopathy. Tautopathic drugs have two advantages. They can be proved according to Homoeopathic "Proving" and can be assimilated in Homoeopathic Materia Medica (which I am doing, clinically, as proving according to Homoeopathy requires men and money and it is my experience that Homoeopaths won't allow me to prove these drugs on them to save money for Homoeopathy) and can be given to antidote the bad-effects of crude or offending and harmful identical agents.

At this moment I want to warn my readers that not the least do I want to go away from Homoeopathic Principles but just I want to remove some "obstacles to recovery in each case" which are coming up in the way of Homoeopathy in Modern "Wonder drugs" era. Tautopathy cannot cure all types of drug diseases but it can help to cure many and varied cases.

"Tautopathy is indirect Homoeopathy. It is Homoeopathy minus actual proving of the drugs on healthy proven. It is used on the basis of (i) Causative factor (abuse of the corresponding drug) and (ii) The symptoms produced as side effects of the abused drug."

"Tautopathic drugs have nothing to do with allomthy on the following grounds (i) they are used on the basis of symptoms produced by the crude drug on diseased persons (unhealthy provers) (ii) they are prepared strictly in the process of Homoeopathic pharmaceutical discipline (iii) they are used in potencies." (Dr. J. N. Kanjilal)

It is the duty of every physician to avail himself of all the resources of hygiene, sanitation, and surgery, but it is also his duty to put prejudice aside and investigate the claims of a method of medication which can show such marked results as does Tautopathy.

No doubt Homoeopathy alone of all therapeutic methods can legitimately claim to effect true cures by medication as distinguished from recoveries. But in the present era Homoeopathy suffers a setback due to the use of present day most powerful wonder drugs, with their bad effects, creating drug diseases. These bad effects, and drug diseases are to be removed to effect a true cure before we prescribe Homoeopathic drug. Here is a new feather (Tautopathy) in the cap of Homoeopathy. It can win for itself a corner in your heart, if you have any.

"Few seem to realise that a very large part of the disease met with in ordinary practice is the result of what may be called involuntary poisoning. Symptoms are constantly appearing in our clinical records which are the product of drugs, either self-administered or ignorantly prescribed by that class of physicians who are forever prescribing for the result of their own drugging without knowing it."

"The Key to correct diagnosis and good therapy rests for the most part in well documented history, never slighting the review of systems and history, of drug intake." (Dr. W. O. West.)

"Before the era of Antibiotics and Sulphonamides, it was already the practice to influence and check infection by non-specific therapy." (Thampan & Bergschmidt), And with that the resistance of the body against disease was created first in the body. "But as regards the resistance of the body, it has been noted that antibiotics unfavourably influence the defence mechanisms in the human body, a fact which has been confirmed also by animal experiments. It was found

that the administration of Penicillin in healthy individuals causes a decrease in the leucocyte counts." (Galnsslen and Lehmann). "I was amazed at the toxic possibilities after the exhibition of the sulpha drugs and penicillin-confusional psychosis, anuria, epilepsy, glossitis- in fact, the ultimate results seem rather unpredictable and one wonders what the patient may have to pay for the gains achieved. The antibiotic's action is a directly lethal one over the other bacteria and the abrupt change in the bacterial flora, of the respiratory and alimentary tracts is likely to have consequences which we cannot at present foresee. How far the patient's normal defence mechanisms are modified by the use of Sulpha drugs and antibiotics remains to be seen." (Sir John Weir M. D., G. C. V. O. Physician to Queen Elizabeth of England.)

Again, "Antibiotics in the usual dosage do not effect complete destruction of the micro-organisms, because they act mainly as bacteriostatics. The final destruction of the germs is therefore, left to the body's own defences, e. g., phagocytosis, anti-body formation, bactericidal activity of the serum (or in one word 'Vital Stimulators' which I have coined) etc." (Thalhammer, Replot, Chemsuz, Vogt, Gunther.)

In modern "Wonder drug" treatment, all the emphasis is on cures for diseases, specifics against certain germs, *Talle Causam!* Find the germ tranquiliser and then kill it with the largest doses of antibiotic that the patient will stand. But in the majority of diseases the germ found is not the complete cause of the trouble, it may be only an associated factor. Again, there is a balance of power among the bacteria which Chemotherapy may disturb with dangerous results as when "Staphylococci in a lung abscess are killed off by Penicillin only to allow quiescent tubercle bacilli to flourish and exceed their deadly excavations." Moreover we must respect vis medicatrix nature. No antibiotic, however powerful, will save the patient if the vital spark of healing and resistance is lacking.

It is now definite that the wonder drugs, and habit forming drugs like Hormones create untold miseries to patients. "Allergic reactions can practically happen after any sort of medication. By no means do they represent a characteristic of Antibiotics. Some substances

(barbiturates, some antipyrotics, neoars-phenamine, Sulphonamides, bromium etc.) seem to be more dangerous in this respect than others. Allergic shocks are many on records during antibiotic treatment" (Bergschmidt.) "Indiscriminate use has caused an increasing number of serious and sometimes fatal reactions. Most antibiotic prescriptions written for the common cold 'Flu' and similar viral diseases and undiagnosed fevers are unnecessary," writes Dr. Gerand Eastman of the Department of Medicine of the State University of New York Medical School.

Penicillin made its initial appearance on the civilian scene in 1945 as an authentic Miracle of modern medicine. But today, we are fast approaching the sobering realisation that penicillin might not be such a blessing after all and more than a few doctors are seriously beginning to wonder about the wonder drug.

"The most exhaustive work to date was the nationwide survey of serious reactions to antibiotics reported on last October (1958) at the Antibiotic Symposium held in Washington D. C. covering a fair sampling of 29% of alt hospital beds in the United States from 1954 to 1956. Statistics revealed that 2517 persons in the Hospitals under scrutiny experienced such bad reactions to penicillin that they had to receive special treatment for side-effects. "Penicillin is the antibiotic causing the greatest number of reactions and one most frequently involved in fatal cases" (The Editor, the Journal of the American Medical Association 1958.) Has anyone ever heard of Homoeopathy causing these dangerous after effects in the treatment of the sick? And lastly Drs. R. A. Kern and N. A. Wimberley have said that "the best way to present a penicillin reaction, in a potentially or proven sensitive patient, is to give another drug." But then in years to come out of 170 million now living in U. S. A. 17 million persons will develop adverse reaction to penicillin, which is forecast by an expert. And so a new Era may come which is now on side-scene—The Era of Hormone Therapy. History is repeating itself. We are getting into another era where treatment is unsound, unscientific and definitely harmful. "The germ immunization that are developing, sensitivities that are developing, are becoming very dangerous. Caught up as were many people by the wave of enthusiasm for the so-called 'wonder drugs' I must plead guilty to having employed them."

(Dr. H. E. Reed M. D.) There now exists the vitamin Era. There can be no doubt about the necessity of vitamins for the general well being of an individual. There are many people suffering from avitaminosis from improper diet. Still, a large percentage of people do not suffer from avitaminosis and still have colds. When this period of wishful prescribing of vitamins for all ailments passes, a sane level of vitamin therapy will be established, which will have its place in medicine. To the Hahnemannian it is amusing and instructive to watch the perpetual rise and fall of allopathic medical theories.

"Disturbances in the intestinal bacterial flora have been observed during antibiotic treatment predominantly after the oral administration of Broad-Spectrum antibiotics "(Thampan & Bergschmidt). "A higher rate of relapse has been observed, when the introduction of chloramphenicol is done in the treatment of Typhoid" (Laporte and Fritel, Vorlaender and Schnutz.) Again, Chemotherapy throws out of gear the natural defense mechanism and it is possible that besides the cases of frank unresolved pneumonia there are many patients whose recuperative powers are adversely influenced.

A number of reports on fungus diseases following Antibiotic treatment, especially with broad-spectrum antibiotics were lately published (Scelchow Nikoluski, Hosenann). Special interest has been roused by fungus infection due to *Morilia Allsicans*. This normal harmless fungus may, during treatment with antibiotics spread in the whole body and systemic fungus disease may end fatally.

"Neurologic disturbances have been described in prolonged treatment with streptomycin and dihydrostreptomycin such as are often necessary in tuberculosis. Streptomycin may cause disturbances of equilibrium while dihydrostreptomycin may cause auditory disturbances." (Thampan and Bergschmidt.)

The British Medical Journal in 1952 warned that the use of the wonder drug streptomycin may have to be abandoned because it is too dangerous. The Journal said the drug can have serious poisonous effects on the 'eighth nerve' causing giddiness and deafness and may even upset a patient's sense of balance *permanently*. The drug is

used frequently to combat tuberculosis but in the majority of cases. patients become resistant to the drug and remain so indefinitely." It is true, today.

Rarely does it occur to the prescriber that the 'complication' is but the symptomatic reflection of the drug or drugs he has previously given. I say, rarely, for sometimes he does seem to have faint glimpses of such a truth, as when tetanus, trismus or acute Bright's disease speedily follow vaccination, or when haemorrhage in lungs, kidneys or retina quickly supervenes upon the administration of massive doses of Quinine or when he happens to recognise one of the "puzzling eruptions" said to be caused by one or more drugs.

"Hepatic disorders due to chlorpromazine (Thorazine) are reported at the rate of 1 to 50 cases to 3 in 71. Viscosity of bile is increased: an obstructive type of jaundice develops as biliary canaliculi are plugged. Although some patients die, most recover on cessation of therapy. Similar changes may be brought about by therapy with theouracel, methimazole, arsphenamine and methyltestosterone."

"Toxic Hepatitis with inflammatory infiltration and liver cell damages is caused by many drugs, including Phenylbutazone and phenacerylurea (Phenurone). O, D. Quarterly reports that sulfapyridine is causing stone in the kidney and urinary tract. *The Science News Letter* reports that Dr. Mekenzie of Johns, Hopkins has discovered that the Sulpha drugs are causing enlargement of the Thyroid."

"Peptic ulcer is common during treatment with ACTH and cortisone. Even in healthy individuals, ACTH raises the concentration of Hydrochloric acid and pepsin in the gastric juice and reduces the viscosity and amount of mucus."

"Peptic ulcer and migration of prostatic cancer to the breast are known side effects of therapeutic hormones. Metastasis to the breast may occur when oestrogen is given for prostatic carcinoma. The hormone causes gynaecomastia by increasing vascularity and growth of loose textured fibrous tissue."

"Perforation and haemorrhage from peptic ulcer is common after "Rauwolfia Serpentina" according to Dr. W. O. West, from the Department of Internal Medicine, Charleston Memorial Hospital, Charleston. Further he said, "Peptic ulcer occurrence, recurrence and complications associated with the administration of Rauwolfia Serpentina probably contribute another to the *evergrowing* list of 'diseases of Medical progress."

Take the case of cortisone. Dr. L. C. Cope, Physician at the Post-Graduate Medical School of London has said "*Cortisone* and *Corticotrophin* do not cure, they merely suppress some manifestation of disease." And suppression in medicine, its awful consequences to mankind and the law of the inverse order by which suppression may be turned back, are as strange to the world Health Organisation as they are to the Medical Colleges themselves. To understand suppression and its opposite cure, the physician must reach beyond his M. D. or F. R. C. S.

"Fungus infections, Staphylococcic enteritis or vitamin deficiency may occur if the natural balance of gastro-intestinal organisms is upset by antibacterial agents/"

"Antihypertensive agents have various undesirable effects, 'Hexamethorium' in long courses may bring an acute interstitial pulmonary fibrosis and progressive dyspnoea that is fatal in thirty days."

Disturbances are initiated by hydralazine hydrochloride (A pre so line) in as many-as 10 per cent of persons who receive an average of 640 mg. daily for one year. Symptoms of rheumatoid arthritis, lupus erythematosus, serum sickness or collagen disease may develop. Chills, migratory joint pains and myalgia occur, sedimentation rate ascends and haemoglobin falls. Arthritis follows and with continued administration, fever, prostration, effusions in body cavities, rash, splenomegally and lymphadenopathy"—
— (Modern Medicine-Man-made disease.)

So, we can readily see that the use of the marvels of modern medicine is not without considerable danger and risk to the patient.

People are anxious to have these drugs used in their treatment after reading the glowing publicity that is given to these preparations. However this publicity does not warn of the dangers that may be encountered.

It has been said, and it is logical to believe, that the person whose blood stream is clean and chemically adequate never develops cancer. And it naturally follows that 'preventive medicine' vaccinations and inoculations, pollute the blood stream and apart from the immediate danger of serum sickness and infection through materials carrying living germs accidental or otherwise has much to do in the development of the degenerative diseases. The increasing cancer death rate discredits the surgery, X-ray, Radium of orthodox medicine, and the 'research' of the cancer societies.

Modern medicine during recent years has certainly made radical changes in many diseases and infections, even causing new diseases, thus making the practice of medicine more complicated.

My theories, views and experiments are now 'confirmed facts' though these were observed clinically long before any experiments were known to me as now experiments are done in the laboratory of Professor Lapp in Strasbourg, by Dr. Lise Warmser, Mr. J. Ney and Madame Krautele. Their findings are:

- (1) Knowing the therapeutic accidents caused by the administering of even small doses of certain toxic metals to patients who have previously undergone a more or less intensive treatment by the same substance, we ask ourselves whether it might not be possible to give evidence of the liberation of these toxic substances in the system under the action of an infinitesimal dose of the same toxic substance.
- (2) That an infinitesimal. dilution of a substance is capable of causing the elimination *of the same substance which* was hitherto fixed in the system.
- (3) The induced elimination of the poison under the action of the infinitesimal dose permits comprehension of the action of specific treatments by the allergens used in therapy.
- (4) They (Experiments) justify by their results the *isotherapeutic* technique using the infinitesimal dose.

They have come to the above conclusions after conducting several experiments.

It is true that if the use of crude drugs could be entirely done away with, the sum of human ills would be greatly reduced, or as wise and witty Dr. Oliver Wendell once said "If all the drugs in the world could be dumped into the sea, it would be better for mankind and the worse for the fishes."

The 'modern medicine' is racing only for specifics for diseases and here is the mistake they are doing. They must learn the 'natural ways' to combat diseases of mankind. To the philosophic mind the idea of a specific for disease is untenable, because the symptoms of disease are ever changing and always vary with the individual. There are specifics for sick individuals but none for diseases. The idea for specifics seems so plausible, however and the end sought is so desirable that the quest goes endlessly on. Hardly a month passes that the discovery of some new bacillus or some new "Anti" serum is not announced to a waiting world.

"Humanity in struggling to emancipate itself from bondage to drugs, and to attain a higher plane of life and thought as is common, has gone from one extreme to the other. Psychology and psychiatry are the popular studies of the day. Now, as never before, are nature's finer forces being studied. Men are questioning the infinite and unseen. Many are calling men to return to a more natural, a more spiritual and more simple mode of life-to eschew drugs, stimulants and narcotics."

Humanity is drugged and poisoned from the cradle to the grave- Organized medicine is responsible for the present miseries of mankind.

Increasing mortality from cancer since 1900 is shown clearly in the statistical tables of the World Health Organisation which were published in 1955, and they consider it remarkable. Remarkable it must seem to everyone as cancer is accounted No. 1 Killer, now. The cause is behind the scene. The more one gets vaccinated, the more is its efficacy diminished, for the less are the antibodies grown

and the less is the defense mechanism worked up. What is more, the vaccine lymph as a pathological foreign protein besides causing dangerous encephalitis sensitizes the organism with each repetition or operation and works as an allergen that brings in its turn various constitutional disorders, malformations and malignancies. Who can say how far responsible are vaccination and revaccination for Hypertension, coronary-disease and cancer—the three scourges of Modern Society? I have frequently seen in these diseases—Hypertension, heart-disease and cancer,—the relation with vaccinations in my private practice.

Let us see what Pageant writes in the January 1951 issue in "Miracle Drugs, Million-Dollar Nonsense." "What Cortisone and ACTH do-and this is real medical news-is to permit the intimate study of Arthritis. Like the microscope the hormones are tools of science, so important that U. S. public Health Service has this spring awarded \$ 901445 for their study . But they are not cures. This is true of B. C. G., a vaccine widely acclaimed in recent months as a preventive of tuberculosis. Though there have been reports of success, there has been no proof. The vaccine itself is highly unstable: no method for standardizing its manufacture is known, nor is there any dependable technique for selecting people to be vaccinated. Months and years of Laboratory Study are needed before the work of this miracle-drug can be established." *[If this is true, are not our masses being used as Human guinea pigs? I know some cases where after taking B. C. G., they have suffered from pneumonia, Asthma and symptoms of T. B. without any pathological changes in lungs.]* "It is too early to assess the results, but there is one great objection to the method, that is, the possibility that the organism itself may be capable of regaining virulence in the human body"—(opinion of Dr. F. W. Price—from the Text Book of Practice of Medicine). With the above cases I can only predict that one day our children will be a generation of tuberculosis and Cancer. This I write on the basis of mass small-pox vaccination and re-vaccination by Government authorities with a result that now it takes more deaths according to the report of small-pox in West Bengal, (The Journal of the Indian Medical Association 1959.)

And here is a proof with a remarkable statement by Dr. A. Vogt. He said after collecting particulars of 4,00,000 cases of small-pox.

"I am compelled to admit that *my belief in vaccination is absolutely destroyed,*" "I have seen hundreds of children killed by vaccination" (Dr. Hitchmaron, Report of Royal Commission.) Again take example of Von Behring the discoverer of Diphtheric Antitoxin who says, "You may call me a Homoeopath, if you will, but I say to you the efficiency of Anti-Toxin increases with the attenuation." But only if attenuated according to Homoeopathy.

"Medicine is far from having decreased human sufferings as much as it endeavours to make us believe. Indeed, the number of deaths from infectious diseases has greatly diminished. But we still must die and we die in a much larger proportion from degenerative diseases. The years of life which we have gained by the *suppression of diphtheria, small pox, typhoid fever etc. are paid for by the long sufferings and the lingering deaths caused by chronic affections* and especially by cancer, diabetes and heart diseaseAlthough modern hygiene has made human existence far safer, longer and more pleasant, diseases have not been mastered. *They have* simply changed in nature" writes Dr. Alexis Carrel, the famous scientist in "Man, the Unknown."

Dr. Benehtrit holds the opinion that "Vaccines and sera are principally responsible for the increase of those two really dangerous diseases, cancer and heart disease I have been for a long time a serologist and I know what I am talking about." "Belief in serum therapy rests on a foundation of sand." (Sir Almoth Wright.)

"Orthodox Medical treatment with its drugging and surgical operations not only cannot cure disease but succeeds merely in turning simple diseases into far more serious ones." (Dr. Benjamin.)

"Vogues in treatment come and go, introduced without experimental justification and accepted without the application of any crucial test, without comparisons between a treated and untreated series; without enquiries into mode of action or even a display of curiosity as to whether the remedy includes an active principle at all. Sometimes even harmful treatments flourish for a time. The others exhibit a warning curve of popularity and early exalted claims suffer a gradual extinction with little attendant commentary or reflection

on the time and money wasted and the disappointed hopes. In the last quarter of a century we have witnessed, *therapeutic vaccine craze, based not on experiment* and the vast experience of War-time, but on haphazard speculation and ill-considered enterprise. Organisms isolated from the throat, dental sockets, stools and elsewhere and hailed as the cause of the rheumatism, the Catarrh, Colitis, (and sometimes of the undiagnosed anaemia, Cancer, tuberculosis or gout) have been injected in various combinations in their millions of millions—the prescription being at last discontinued when it failed or the patient after months or years, got better in spite of it. The polypharmacy of the Middle ages was no more absurd. "Endocrines," "Rays" exploitation of surgical procedure, injections of chemical substances vaunted to cure influenza and pneumonia, intravenous chemotherapy for septicaemia, have all been allowed to have their day. In each case it has been the same story. The treatment has been launched with no adequate preliminary experiment, without clinical trials, and employed without criticism and often, alas, without an adequate diagnosis and to the exclusion of a rational conservative therapy, which although not miraculous in its effects, at least has the virtue of encouraging or not delaying natural recovery." writes Dr. John A. Ryle, Regius Professor in the University of Cambridge and Consulting Physician to Guy's Hospital, in *The British Medical Journal*.

Such people are rare who admit their mistakes and endorse directly or indirectly the principles of another system of treatment for their discoveries. It is a fact without doubt that sins of parents are passed on to their children directly or indirectly! Modern medicine is trying to poison the youngsters from cradle to grave and the facts about this were reported in the *Journal of Obstetrics and Gynaecology of British Empire* by Dr. N. Sapeike. "Bromides are well known as a possible cause of a skin eruption in infants and the amount excreted in the milk."
 "It is well known that belladonna or its alkaloid atropine markedly diminish the milk flow and the drug transmitted through the milk may affect the child." "Both Sulphanilamide and Sulphathiazole have been demonstrated in the milk of nursing mothers and traces of the drugs have been found in the blood and urine of the infant."

"Small amounts of penicillin have been found in the milk following the intramuscular injection of 1.00000 units." "Salicylic Acid has been detected in the milk after 10 grains of Sodium Salicylate." "Signs of intoxication have been recorded in infants while mother has been receiving Ergot alkaloids." "Caffeine has been found in the milk following the drinking of both tea and coffee" etc.

Humanity today is drug ridden as never before in history, "It is my personal opinion that vaccinations enforced on the public for the last two or three generations are responsible for the enormous increase in Allergic conditions in children and adults—a costly and painful price to pay for the protection against Small-pox, whooping cough, typhoid fever, typhus and many other diseases." (Dr. Roger Schmidt-U. S. A.) The "side-effects" produced by these drugs are nothing but an euphemistic phrase for drug-diseases or iatrogenic diseases. And any conscientious observing physician is painfully aware as to how obstinately harmful and almost incurable these Iatrogenic diseases are, especially when deep-rooted by prolonged use of the highly potent modern drugs.

Laboratory products may be 'Scientific' but unless they are scientifically used, they are a source of danger.

There are many, even in the Homoeopathic School, who do not realise these facts and who find that the problem before them is as after one of antidoting a drug or of curing a true natural disease. This has a very practical bearing on the case, for, the first step in such cases is to seek out and stop the use of drugs and antidote them rather than to proceed blindly to give more drugs. "The last taken drug affords the best medication for the next prescription." (Dr. Hering.) And mind well Nux vomica at present cannot afford, to antidote the present powerful chemical 'wonder drugs.' If you prescribe to every patient who comes from allopathic brothers, Nux. vomica 6, 30 or 200, you are wasting your time in 90% of cases. Nux. vomica, no doubt, will help but only in certain cases where old time prescriptions are given by old time physicians who still do not believe in prescribing 'wonder drugs' of today or in patients who by chance never had wonder drugs or crude drugs of "Habit forming," from a modern M. D. or M. R. C. P.

If a Homoeopathic Physician prescribes on totality of symptoms without considering the symptoms or bad effects of drug diseases of previous medication, he is going to fail, no doubt. Even if he discriminates symptoms of drug diseases and natural diseases he cannot find true antidote at once of the bad effects and so his patients and himself worry as Homoeopathic medicines are not helping them and him. Here comes to their aid Tautopathic drugs and the way is shown for better and more effective Homoeopathic prescribing.

I have seen several cases where I have been worrying, when Tautopathic drugs helped me to overcome my worries. But to do such miracles you have to find out from your patients and from previous physicians what medicines were given mostly from 'wonder drugs' of present day. If you find medicine, which usually you can, it becomes very easy to prescribe Tautopathic drug. You have to give the same medicine in potentised form (which, only, we have prepared) mostly 6 or 30 and have to wait for four days or a week and you shall be amazed to see how it clears up the case. Sometimes I have noted that there is no need of prescribing any other Homoeopathic drug as in such cases patients recover completely if he is under the influence of that 'wonder drug.'

And sometimes, if you find that you cannot wait for a week or four days after giving Tautopathic drug, you can prescribe Tautopathic drug in 30,200 or higher (which at present I have not prepared and tried) and the Homoeopathic drug which is indicated in low potency, say 3 or 6 as an alternating or intercurrent medicine. I have given this in some cases and have noted also some improvement.

Every medicine or drug has a plane of action and the same with different potencies of the drug. Different potencies have their own planes of action. Take it as higher or lower. Again, diseases have their higher and lower planes. So if you give higher potency it will act on a different higher plane leaving the low plane of action. And during the same time if you give a low potency of different medicine it will act on lower plane without disturbing the action of higher plane. This is usual practice while giving constitutional treatment in Homoeopathy where a constitutional medicine is given in high potency which acts for months and low potency any time, or any

indicated drug during acute troubles. But in prescribing in this way you must give time to higher potency, usually 24 or 48 hours and then you can give low potency if need arises. Even you can repeat them (low potencies) often without disturbing the action of higher plane medicine or potency.

At present we have to follow with open mind the trend of 'Modern Scientific Medicine' and have to kill giants of drug-diseases with their own weapons. And Tautopathy is the possible way to show them what wrong they are doing plus how Homoeopathy can overcome present day obstacles, by adopting her sister Tautopathy.

Frequently chronic diseases of liver, kidneys, spleen, lungs, joints, will be traced back to an initial attack of malarial fever or typhoid checked by massive dose of quinine or arsenic or 'wonder drugs.' The patient has 'never been well since,' the seemingly indicated remedies do not act, a few doses of the appropriate antidote either of Arsenic or China or wonder drug, the abused drugs themselves in high potency- and it is a fact that the high potency of the drug is sometimes the best antidote for the effects of the crude drug, will clear up the cases and either cure it or render it amenable to other symptomatically indicated drugs and lead us to the object of cure on easily comprehensible principles. It is not so with modern medicine. There "the object of cure (diseases) was manufactured to order by pathology. It was arbitrarily settled what diseases, how many, and what forms, and kinds there should be. Just think, the whole range of diseases produced in innumerable and always unforeseeable variety by infinite Nature in human beings exposed to thousands of different conditions, the pathologist cuts down so ruthlessly that a mere handful of cut and dry forms is the result." And that is the result why our allopathic brothers forget the bad effects, or drug diseases created are regarded by them as progress of diseases or fresh diseases of quite different kinds, while treating diseases with 'wonder drugs' of today. They have no other "wonder drug" to combat bad effects or drug diseases and so they are forced to name them as deficiency diseases of this or that Vitamin or Hormone or at last a bang with 'Allergy' word and they free themselves leaving patients with new diseases which may come out as Asthma, Apoplexy, epilepsy, Arthritis etc. and lastly a danger word 'Cancer' for which they cannot

find a cure. Here, Tautopathy helps our brothers of Modern Medicine to (disprove their imaginations and help them to fight bad effects or drug diseases in a scientific way.

The birth of the method in my hand was an accident which has shaken my mental economy to gain more truth. Once a Lady, aged 45 years, asked me to visit her for consultation. She was a victim of Typhoid and a victim of 'wonder drug*! She was under treatment of the best allopathic physician of the town. According to diagnosis, he prescribed Chloromycitin capsules. In all 32 capsules were given within a week. Temperature was down from 104 to 100 degrees and sometimes 99.4 degrees but *never normal*. Again she was asked to continue 12 capsules for 6 days. But after taking 34th capsule she started stomatitis—with burning in the mouth. Burning in the throat. Sensation of feeling heat and swelling in the mouth with thirst; Vertigo while getting up from bed. Headache, all over the head, dull type etc. Movements aggravated her troubles. Itching here and there on the body. Burning in the eyes, mostly in the evening. Less hearing, right ear, without pathological evidence. General weakness. In spite of these troubles she continued the treatment and she was becoming worse and worse day by day and *at last* she asked for a visit from a Homoeopathic Physician.

When I saw her she had all complaints previously explained plus Anorexia. She cannot take food at all. Slightest motion or movements were making her worse. Thirst for cold drinks, often, as she said that she gets dryness of the throat. Saliva was coming out while speaking. Has to spit often. Cracks around the corners of the mouth. Gingivitis with white patches here and there. Tongue red and moist. Slow wiry pulse. Anaemic face. Burning of the feet at night etc., (B. Complex deficiency due to chloromycitin was diagnosed which I confirmed from literatures of Glaxo Company, and was given by allopathic physician without relief)- With all the symptoms I started with Bryonia 30, 8 hourly for four days without any good result, except temperature which came down and continued as normal. Then it came into my mind why not Chloromycitin in potetised form, as most of her symptoms are its bad effects, due to over dosing. To antidote them Bryonia was not the remedy, but I changed to the most talked antidote in Homoeopathy, Nux Vomica(30)

and was given as I was preparing Chloromycitin in potentised form, without any good result. After two days I switched on to chloro-mycitin 6, three times 6 hourly in two grains dose for two days and O! She was feeling better on 3rd day and one dose on 4th day (It is my new method of repetition of Homoeopathic remedies which I have tried on hundreds of patients with excellent results). Most of the symptoms were rooted out within 5 days and the remaining-burn-ing in the stomach and feet were controlled by Rhus Tox 30, one dose, after 15 days. Surely R. T. .If you doubt, R. Tox was not indicated first.

This incident led me to potentise most of the "Wonder drugs" of today. I have tried wherever I found place for them with good results and hence Tautopathy comes into existence after the hard work and worries.

The following are the Tautopathic drugs, at present, prepared by me, according to strict Hahnemannian Method and others shall be available later on as need arises. The following are widely used drugs in market and hence I have taken only 'Trade' mark.

CHAPTER 1

TAUTOPATHIC DRUGS

Aspirin
Adrenalin
Atropia sulph
Antitoxin
Acidum Salicylicum
ACTH (Adrenocorticotrophic hormone,
Acthar Corticotrophin)
(Aureomycin)
(Albucid) sulphacetamide
Alloxan
Amphetamine
Antityphoid Paratyphoid (T. A. B. C.)
Antirabies
Aminophylin

B

Bismuth Met
Benadryl
Benzedrine (amphetamine)
(Butazolidin)
B. C. G.

C

Chloroform
Cobaltum Met
Codeinum
Cocainum Mur
Chloramphenical (Chloromycetin)
Caffeine
Coloramine T.
Chlorothiazide
Chlorpromazinc hydrochloride (Largactil)

Chlotetracyclin hydrochloride
(Aureomycin)
Cortine (Active principle of Suprarenal
Cortex, Eachatin)
Cortisone acetate (Cortisone, Cortone)

D

Diphtheria Anti-toxin
Digitalin
D. D. T.
Diphenhydramine hydrochloride, (Benadryl)
Durabolin (Nandrolone Phenylpropionate B. P.)
Diphenydanton (Dilantine)

E

Ether
Emetin-Hydrochlor
Ergotin
Ephedrine
Ergamine
(Erythromycin)
(Endoxan) Cyclophosphamide

F

Formalin
Fluorouracil

G

Gammaxane
Gamma B. H. C.

H

(Hetrazan)

I

Iodoform
Insulin
Influzin Anti-toxin
(Irgapyrine)

L

Djmethycenlortrac (Ledermycin)

M

Morphium Acet

Menthol

Morphium-Pur

(M & B 693) Sulphapyridine

Methionine

(Mysoline)

(Mersalyl)

Mytomycin

N

Nicotinum

Naphthalin

N, B. A. (Neoarsphenamine)

Nardil

Nylon

O

Opium

Oxytetracycline hydrochloric (Terramycin)

P

Phenacetin

Pituitary

Paraffin

Pituitrin

Penicillin Procaine

P. A. S. (Sodium-P-eminosaJicylate)

Penicillinum calcium

Penicillinum Sodium

Penthothal

Phenazon

Phenobarbitonum (Gardenal)

Prednisolone

Proluten (Progesterone)

Prostigmin

Pethidine Hydr.

Q

Quinine Brom

R

Rauwolfia Serp

Radium bromatum

Radium iodatum

Radium sulphuratum

(Rastinon) (Talbutamide)

S

Santonine

Sulphonal

Streptomycin

Streptomycin-sulphate

Salvarsan

Stilboestrol

Sulphacetamide (Albucid)

Sulphaguanidine

Streptomycin-Dihydrate

Sandocycline

T

Thymus

(Terramycin)

Tetracycline (Achromycin)

Testoviron (Testosteron)

Tetanus antitoxin

(Thalidomide)

Thio-Histamine

Thizamide

Trichomonas vaginalis

Triple Antigen

U

(Urolucosil) (Sulphamethizole)

X-Ray

(Veganin)

Vitamin A. B. C. D. K.

The Bad effects of the above medicines are generally different in different individuals according to their physical constitution, so it is difficult to collect all symptoms-bad or side effects of each drug. The only guide at present is the previous use of the medicines by patients and after taking medicines how patient reacted. Most of the bad or side effects of each drug are given in practical part.

These drugs are only prepared by me according to trituration and succussion methods and are hand made because with trituration and succussion (Hand made and not Machine made) more energy is released, (this fact will be cleared up in future with the aid of clinical and machine findings.)

Lastly, I wish all who are concerned with the health and betterment of Humanity to try Tautopathy. It's future depends on trial by Homoeopaths and brother Allopaths for its true progress. I pray to God, as usual, to lead me where I can find more truth.

The whole truth regarding life, diseases and cure of sickness is not the monopoly of any single system of medicine however widespread it is.

CHAPTER 2

PREPARATIONS OF MEDICINES

Methods:—

1. Decimal Scale
2. Centesimal Scale

For standardisation of the preparation, the following points are to be considered.

1. Quantity
2. Quality
3. How much vehicle
4. How many revolutions or succussions
5. How much time

Process of preparing Medicines:

TRITURATION:

Trituration is another method discovered by Hahnemann, which is able (1) to increase the healing power of a drug, (2) to awaken the healing power of substances which were supposed to be neutral and inactive, (3) to make insoluble substances soluble in vehicle like alcohol and water. Here the substance is rubbed for a long time systematically, with a non-medicinal material like pure sugar of milk, so that its inner, concealed, and in the crude state latent and so to speak, slumbering dynamical medicinal power can be awakened and brought to life. Usually dry medicinal substances which are not soluble in alcohol are selected for trituration. But sometimes liquid substances like petroleum or other oils, vegetable and animal substances like Apis. Anthracinum etc., are also triturated.

The process should be carried on in a warm and dry atmosphere and the apparatus to be used should be perfectly clean. The mortar and pestle should be washed nicely with water, wiped dry and a little alcohol should be burnt inside.

THE ACTUAL PROCESS

Appliances:—Mortar, Pestle and spatula. The vessels should be of Porcelain variety and of the same size. The bottom of glazed porcelain mortars are made rough by rubbing with moist line sand.

Drug:—Hard and lumpy substances should be powdered and passed through a suitable sieve (No. 6 sieve where the width between meshes is 0.15 m. m.) For powdering the method already described (powdering with mortar and pestle) can be followed.

Vehicle:—Milk sugar which is the common vehicle should be of the purest quality, purified especially for the homoeopathic usage. The quantity taken should be nine parts to that of the drug substance in the decimal scale and ninety-nine parts in the centesimal scale.

Procedure:—One third (3 or 33 parts) of the required amount of milk sugar is taken in the mortar and rubbed a while so that the pores are closed. Now the medicine is put and mixed thoroughly with the spatula, the time taken for the whole procedure not exceeding a minute.

The mixture is triturated with some force for six minutes. The force exerted should be such that the sugar of milk is not pressed too firmly to the mortar but may be scraped up within three or four minutes. The rotation should be done only in one direction. Anticlock-wise may be the convenient direction. Circular movement should be steady, hard and grinding in nature.

The triturated substance is then scraped from the mortar and the pestle with the spatula for 3 minutes, and mixed thoroughly for a minute. The powder is again triturated for 6 minutes as before, scraped for 3 minutes and mixed for one minute. Thus the first part of the trituration is completed in 20 minutes.

The second one-third of the sugar of milk is then added to the already triturated mass, and the trituration is repeated exactly as before, two times: 6 minutes trituration, 3 minutes scraping and one minute mixing. The total time taken for the process done being 20 minutes.

The last one-third of milk sugar is added and the whole process is repeated within the next 20 minutes. Thus within a total period of one hour the first trituration is ready. The medicine is now kept in suitable bottles, with tightly fitting corks and the name, number and scale of potency are marked clearly on the bottles.

To prepare the next trituration, any suitable quantity of previous trituration is taken in a new mortar (or in the same mortar after cleaning thoroughly as already directed) and 9 parts or 99 parts of sugar of milk is added according to the two scales and trituration is carried out exactly as before, for one complete hour.

SUCCESSION:

Procedure: a suitable . strong, round, perfectly clean and new bottle of neutral glass is selected, so that after taking the whole mixture at least 1/10 of the volume remains vacant. A tight fitting new cork is also taken and the name of the medicine as well as the number and scale of potency (1X, 2X, 3X or 1, 2 or 3) are marked. The mother tincture is now poured into the bottle, calculating the quantity accurately according to the drug power. The vehicle (distilled water, dilute alcohol or official alcohol) is added, according to the decimal or centesimal scale i. e., making the total volume ten times or hundred times accurately, keeping in view the different drug powers of the mother tinctures.

The vial is corked tightly and grasped in the right hand, with a finger namely thumb on the cork and 10 strokes are given. The strokes should be done by raising the hand above the shoulder, and powerfully striking downwards, letting each stroke terminate in a jerk, by striking the closed right hand against the open palm of the left hand. The process is repeated ten times. The potency is now ready.


The next potency can be prepared by taking one part of the first potency and 9 or 99 parts of the vehicle (according to decimal and centesimal scale) in a fresh vial and repeating the same process of shaking. The succeeding potencies are prepared in the same manner, taking fresh vials, one part of the preceding potency and the required amount of vehicle.

CHAPTER 4

PROVING OF SOME DRUGS

ADRENALIN (Sarcode)

Extr. of Suprarenal bodies:



Mind:- Despondent and nervous; lack of interest in anything; no ambition; disinclination for mental work; absence of "grit."
Aversion to mental work, cannot concentrate thoughts.

Head:- Hot, headache in left side, extending to right<by reading and in the morning, with a feeling as though the eyes were strained.

Frontal headache, supraorbital, with congested nose and eyes. *

Burning heat in head, feeling as though he wanted to open eyes wide.

Headache extending all over head but<on left side and over eyes across forehead.

Severe pain>by pressure on the eyes.

Headache extending to the ears. All headaches are < in the afternoon or evening: in the evening they appear about 7 P. M. and last until relieved by walk in the open air or sleep.

If headache appears in the afternoon the time is 3 P. M. always> by walk in the open air, and some-what relieved by eating and sleeping, but not so completely as by walk in the open air.

Neuralgic headache; pains start from base of brain, go forward over the head to front and sides; pains are first shooting and seem to be just under the scalp appear at 11 A. M. and last until 3 or 4 P. M. and disappear by eating, in open air<in close, warm room.

Dull aching in the eyeballs with the headache> by pressure and by rubbing the eyes.

Headache coming on at 11 A. M., lasting until 12.30 at night
by eating.

Dull feeling in the head from 3 to 6 P. M.

Eyes:- Strained feeling, congested feeling as though he wanted to open them wide or press upon them.

Pain in the right eye.>Pressure on the eyes and opening them wide>the headache.

Aching in eyeballs, > by pressure and rubbing.

Ears:- Aching in the left ear accompanies the headache; sharp pain in both ears at times.

Itching and tickling in right ear.>by boring into ear with finger.

Nose:- On going out into the cold air had a copious watery nasal discharge,<on right side; when indoors, the nose felt full and stopped up.

Slight stuffiness in the nose, with full feeling at the root of the nose.

Face:- Feels flushed but is not red.

Flushes of heat over face and head; flushed throughout evening.

Mouth :-Bad taste on waking.

Tongue coated white, red edge and tip.

Throat:- Vocal cords inflamed; and laryngeal catarrh, profuse secretion from the pharyngeal glands of whitish gelatinous mucus which was difficult to loosen.

Stomach : -Appetite increased.

Sensation of nausea as though he would vomit.

Nausea before meals, though appetite is good when he once began to eat.

Appetite increased; ravenous hunger.

Stool:- Stool loose, brown, semi-solid, passed quickly with fetid odor.

Sudden spluttering diarrhoea; all over in a minute, followed with burning in anus.

Urine:- Strong odor, hot and scalding; frequent, profuse, pale,
Burning before and during micturition.

Crystals of sodium oxalate increased while sodium urate appeared during the proving, and was very prominent, no casts.

Hematuria with severe pain in the renal region; cured.

Urine more frequent than usual.

Sexual desire increased, without erections.

Erections; lascivious dreams all night causing waking from sleep.

Emissions in early morning without any bad effects.

Respiratory :- Cough, from irritation in suprasternal fossa. Increase of respiratory movements, soon followed by suffocation and death from paralysis of medulla and pneumogastric (crude drugs.)

Back:- Pain especially on the left side: better by sitting up straight or lying straight.

Extremities:- Slight rheumatic pains coming and going down leg.

Arms and legs go to sleep easily; numbness and tingling from below upwards.

Corns on the toes.

Rheumatic pains in left elbow and little finger on waking.

Legs tired and ache, especially in the calves and below the knees.

Ankles feel weak and tired.

Painful swelling on first finger of right hand, resulting in a felon.

Tired aching in arms and legs on waking.

Tissues:- Prolonged contraction of the general muscular system.

Repeated injections cause atheroma and heart lesions in animals.


The skin- becomes bronzed; great loss of strength; rapid emaciation; exceedingly rapid pulse; irregular intermitting heart beats; general marked anaemia.

Sleep;- Great sleepiness and drowsiness.

Dullness and sleepiness from 3 to 6 P. M.

CHLORAMPHENICOL (Chloromycetin)*

Antibiotic Substance:



Mind:- Depressed and lethargic. Tired, no zeal for work. Desire to lie down. Drowsy, aggr. in morning. Likes solitude. | Dislikes to speak; taciturn. Indifferent. Mentally weak and prostrated. Discouraged easily. Sad. Morose and hypochondriac. Hopeless. Confused. Cloudy sensorium. Forgetful. Cannot recollect thoughts. Thought vanishes away. Uses wrong words in writing. Crowding of ideas. Religious thoughts. Loss of concentration. As if ideas become jumbled up. Irritable. Irritable with disturbed mind. Restlessness. Presence of others intolerable. Childish peevishness. Dissatisfied about his own performance. Anxious about future. Apprehensive.

Head:- Frontal headache, aggr., sunheat, afternoon, amel. open air, bathing. Dull and heavy, aggr. 10 A. M. 2 P. M., amel. tight bandaging. Weighty sensation, amel. washing with cold water. Sense of tightness in head. Sensation as if brain matter has been contracted, aggr. 5 to 7 P. M., motion, amel. yawning. Headache, amel. pressing over eyeballs. Temporal headache, amel., open air. Headache, amel. hard pressure, appears and disappears gradually. Occipital headache, amel. lying down, sleep. Headache, aggr. R. side. Headache, aggr. L. side, amel. open air. after sleep. Frontal headache, aggr. 2 P. M. amel. rest in bed, open air and pressure. Sense of emptiness. Burning sensation, aggr. vertex Sensation as if head would burst. Burning sensation, amel. cold application. Headache throbbing sensation, amel. pressure. Headache with blurred vision. Headache with stiffness of neck. Headache with nausea. Headache with stupefaction. Vertigo, aggr. rising, motion, warm room, amel. open air. Giddiness. As if intoxicated. Headache, aggr. L. side, noon, amel. evening, tight bandaging.

*** Proving of this drug was carried out from April 1959 till November 1960 at the Homoeopathic Drug Research Department of the Midnapore Homoeopathic Medical College Hospital Midnapore (West Bengal.)**

Eyes:- Burning sensation, amel. cold application. Soreness of eye balls. Sensation of insects in eyes. Profuse lachrymation. Redness of conjunctiva. Photophobia with burning sensation in eyes, amel. dark rooms, cold applications. Itching of eyelids, aggr. upper, left. Sense of bulging of eyeballs, amel. pressure. Agglutination of eyelids, inflammatory oedema and redness of eyelids, amel. cold application. Dryness of the eyelids. Heaviness of the lids.

Ears:-Itching, aggr. L. side. Oversensitive to sounds. Burning sensation, amel. cold application. Throbbing pain, amel. heat. Discharge, watery and offensive.

Nose:-Nostrils stuffed-up. Burning sensation. Itching inside nostrils. Epistaxis. Tip of nose red and painful. Itching of the tip of nose. Discharge-yellowish. Coryza-thin, watery. Sneezing with burning sensation.

Throat :-Sensation of heat. Dryness and burning, amel. drinking cold water. Swallowing painful for all sorts of foods and drinks. Sore throat, aggr. L. side, night. Cannot swallow any solid food. Left tonsil enlarged and red.

Mouth:-Raw and sore. Multiple ulcers inside cheek, painful. Whitish slough above inflamed area. Sore blisters on lips and gums. Glossitis with foetid breath. Ulcers on tongue and inside cheek. Thirstless. Tongue thick and dry. Profuse salivation. Inflammation of tongue with increased thirst. Thirst for large quantity of water. Tongue coated white. Dryness in mouth. Foul odour from mouth. Bleeding from gums. Unhealthy movable teeth. Toothache, aggr. lower jaw, amel. hot application. Perverted taste sensation. Bitter taste in the mouth. Bad taste in the mouth.. Waterbrash. Desire for cold drinks.

Stomach :-Nausea, aggr. for three hours after meals. Nausea when eating. Nausea, aggr. morning, evening, empty stomach, amel. eating. Sour eructation and vomiting. Vomiting of yellowish fluid. Appetite increased. Loss of appetite. Aversion to foods. Desire for sour foods. Desire for salt

and meat. Craving fruits. Epigastric distension and heaviness, aggr. after meals. Heart-burn. Burning pain in stomach. Pinching pain in stomach, pressure. Hunger. Pain, Digestion of foods delayed.

Abdomen :- Gripping pain around navel, amel. pressure. Abdomen distended and bloated with much flatus. Heaviness in abdomen, amel. passing flatus. Stitching pain in the right hypochondrium. amel. pressure. Distension of lower abdomen with gas, aggr. from inspiration and motion. Burning pain in lower abdomen. Rumbling in abdomen, amel. after stool or flatus. Abdominal distress, aggr. after meal amel. cold application on abdomen. Cramping pain in lower abdomen, amel. right side. Colicky pain. amel. after stool or flatus, hard pressure. Pain in abdomen amel! bending double. Gripping pain in lower abdomen. Sense of retraction of navel towards spine. Right iliac fossa-sensitive to touch. Abdominal distress worse after eating, amel. lying down.

Stool and Rectum:- Constipation, stool scanty, passed with great straining. Ineffectual urging, for stool. Dry, hard and knotty stool. Constipation with bleeding from anus. Tenderness of rectum. Burning of rectum, amel. cold application. Constipation alternates with diarrhoea. Diarrhoea-stool liquid, yellow, preceded by tenesmus. Stool offensive and black. Loose stool with offensive flatus. Loose stool with colicky pain around navel. Loose stool with burning of rectum. Insecurity of the rectum, aggr. in the morning. Sudden urging for stool.

Urogenital :- Urine profuse. Urination frequent, aggr. day. Burning inside urethra, aggr. during flow. Scanty high coloured urine. Flow of urine cannot be retained. Must hurry to urinate. Left testes and spermatic cord swollen and painful. M. P. (Menstrual period) prolonged with prostration. Pain and heaviness in lower abdomen before menses, amel. After flow 3rd from pressure. M. P. short. Scanty flow.

Chest and Heart:- Heaviness of chest. Distressing cough. Difficulty of breathing. Sudden pain in precordium.

Extremities and Back:-Aching pain of right hip joint. Aching pain in limbs, aggr. night, amel. pressure. Aching pain in the left deltoid, amel. pressure and rubbing. Bruised pain in the extremities. Bruised pain in calf muscles, aggr. left, side, amel. pressure. Backache, amel. movements, rubbing. Lumbar region painful, amel. hard pressure. Sensation of a long thread along spine. Weakness of the inferior extremities, amel. continued movements. Heaviness of lower extremities.

Skin:-Scabies like eruptions with itching, aggr. at night, when covered. Circular, ring-like eruptions in the fold of groin with itching, aggr. night, warmth. Exudation thick and watery. Vesicular eruptions throughout the whole body, amel. cold. Painful boils on thighs. Itching without eruption, amel.- cold. Itching of the lower half of body. Profuse sweat.

Sleep:-Sleep disturbed by dreams especially about business. Dreams about past events. Dreams about various diseases. Somnambulism. Feeling of weakness after sleep. Loss of sleep at the first part of night. Sleepless and drowsy. Drowsy in the morning.

Generals :-Weakness and prostration. Loss of body weight. Aching pain all over the body, Tiredness and weariness. Liking for cold in all forms. Worse from heat and sunshine. Rise of body temperature (100.2°F.). Lack of resistance. Injury easily undergoes suppuration.

CORTISONE (Lath, Cortex-Bank.)

Synonyms :-KendalTs Compound "E", Wintersteiner's Compound "F", 17-hydroxy-11-de-hydrocorticosterone, 17 (a)-(1-keto-2 hydrocyethyl) 4-androstenc-3, 11-dione-17-(beta)-oil).

Substance :-The purified steroid.

Provings:- "the preparation used by us... .30x.....8 provers and 5 controls...." Templeton, W. L., THE BRITISH HOMOEOPATHIC JOURNAL, 45: 89-97, 1956. Keynote Picture: Same as corticotropin, q. v.

EXPERIMENTAL SYMPTOMS

Mind, dullness of
 exertion, agg. from mental
 irritable travelling when, because too slow
 memory, weakness of
 as **if** slow, bus going too
 talk, indisposed to
 weeping, causeless

Vertigo, warm room agg.

Head. pain, pressure agg.
 warmth agg.
 forehead, afternoon agg.
 sun agg.
 warm room agg.
 eyes, above, side, right, excitement,
 mental agg.

Pain, forehead, eyes above, side, right,
 travelling agg.
 warm room agg.
 occiput, sides of, pressure agg,
 stooping agg.

Sides, left
 afternoon agg.
 vertex
 pulsating, forehead, motion agg.

Eyes, agglutinated, lid, lower
 dryness, eyelids
 inflammation, canthus, inner
 conjunctive irritation
 pain, canthus, as if foreign body in eye
 sore, sides right, evening agg.
 stitching, air, open, amel.
 pressure agg.
 thinking of it agg.

styes
 tired sensation, lids

Bar, inflammation, meatus, wall of
 Nose, sneezing, morning, washing amel.
 Face, discoloration, red patches, cheek
 roughness, skin of
 Mouth, dryness, morning agg.
 warm drinks, amel.
 swallowing, empty agg.
 Throat, external, discoloration, red patches, side, left
 discoloration, redness, uvula
 dryness, morning agg.
 extreme
 swallowing empty agg.
 warm drinks amel.
 uvula, morning agg.
 Stomach, nausea, fats agg.
 milk agg.
 Rectum, as if, constipation, incomplete stool,
 sensation of
 diarrhoea, morning, on rising
 breakfast, after
 eating, after, soon
 Stool, pieces, hard
 Bladder, urination, frequent
 Kidney, pain, lying agg.
 sitting agg.
 Genitalia, female, menses full
 heavy
 painful, walking amel.
 Respiration, difficult, warm room agg.
 Cough, morning agg.
 air, open agg.
 excitement agg
 laughing agg
 shaving agg.
 sneezing, morning, with
 throat, from
 undressing, agg.

walking agg.
 warmth, body, after exertion agg.
 Expectoration, gelatinous
 grey
 Chest, discoloration, red rash, sternum, lower
 Back, itching, lumbar, shoulder blades, between
 pain, dorsal, under ribs, side, left radiate to front
 sacro-iliac, motion amel.
 pressure of cushion amel.
 sitting agg.
 rising from agg.
 stooping in morning agg.
 aching, sacro-iliac, sides, right, lying amel.
 sitting agg.
 standing amel.
 stooping halfway agg.
 breaking, as if
 Extremities, cracked skin, hands, back of
 discoloration, red patches, hands, back of red,
 hands fingers, back of
 nails, roots of
 red patches, ankle, sides, left
 dryness, hands, back of
 eruption, eczema, hands .back of
 irritation, hands, back of
 pain, drawing, knees, behind, evening agg.
 lying affected side agg.
 extending to thighs
 restlessness, legs, bed, in, motion not amel.
 roughness, sensation of, hands, back of weakness,
 standing from
 Sleep, restless
 disturbed easily
 sleeplessness, first going to sleep
 unrefreshing
 Skin, eruptions, edges of, raised sun agg.
 warmth agg.
 indurated, bed, going to agg.

rising from agg.
 scratching agg.
 warmth agg.
 washing agg.
 itching
 itching, bed, heat of agg.
 motion agg.
 Generals, morning agg.
 dryness, sensation of
 menses, flow amel.
 tired
 morning
 warmth, external agg.

TOXICOLOGICAL SYMPTOMS

Mind, death, thoughts of
 euphoria
 mood, changing rapidly
 psychoses
 sadness, severe
 Face, swelling, of, roundness
 Kidney, glomerular filtration increased
 Urine, albumin
 ascorbic acid decreased
 casts, hyaline
 casts, tubular
 creatine increased
 17 Ketosteroids decreased
 11 oxysteroids increased
 sugar in
 uric acid increased
 Genitalia, female, menses absent
 Extremities, pain
 swelling, oedema, legs
 Skin, eruptions acne
 hair growth excessive
 striae

Generals, convulsions
 diseases, heart failure, congestive
 Cushing's syndrome
 osteoporosis
 fractures, spontaneous
 laboratory, alkalosis
 blood, potassium decreased
 sugar elevated
 hypochloremia
 negative nitrogen balance
 X-ray, bones, decalcification
 swelling
 syndrome, nephritic

CLINICAL RESPONSE (GROSS DOSAGES)

Generals, diseases, Addison's disease
 adrenal cortex insufficiency
 agranulocytosis
 allergies
 alcoholism
 alopecia areata
 anaemia, haemolytic, acquired
 arthritis, rheumatoid
 asthma, bronchial, chronic
 burns
 hay fever
 inflammations leukemias
 lupus erythematosus
 ophthalmia
 pemphigus
 psoriasis
 rheumatic fever
 thrombocytopenic purpera

PHYSICAL CONSTANTS

Molecular weight: 360.53
 Form and color: white crystals

Crystals: rhombohedral platelets
Melting point: 208°C

HISTORY

First isolated by Kendall in 1934

OCCURRENCE

In adrenal glands

PREPARATION

By synthesis from desoxycholic acid and bile acids, from seeds of trophanthus sarmentosus and the Mexican yam, Dioscorea.

PHARMACOLOGY

Absorption: mainly through the portal blood stream. Action in experimental animals.

Produces chromatolysis and vacuolization in the nerve cells of the thalamic hypothalamic nuclei.

Body weight decreases.

Spleen, thymus, testes, adrenals and hypophysis decrease in size. Liver hypertrophies with glycogen and fat.

Skin atrophies and depilates.

Epiphyseal cartilage ossification is defective.

Beta cells of pancreas hypertrophy.

Islet cells of pancreas decrease in size.

Kidney glomeruli degenerate.

Diffused necrosis occurs in lungs, pleura, myocardium and liver.

Ascorbic acid content of adrenal decreases.

Plasma cholesterol increases.

Inhibits the adrenal cortex.

Action in man: promotes gluconeogenesis

Metabolism: mostly destroyed in the tissues.

Excretion: in the urine as conjugated sulfates and glucuronides.

CHEMISTRY

Is a steroid

RELATIONSHIPS

Chemical:

to other steroids:

bile acids: cholic acid, desoxycholic acid,
glycocholic acid, taurocholic acid

cardiac aglycones: Acocantherin, Adonis vernalis, Antiaria
toxi-caria, Apocynum cannabinum, Cheiranthus cheir,
Convallana majalis; Cryptogegia, Digitalis purpurea.
Helleborus, Oleander, Ouabain, Strophanthus hispidus, S.
sarmentosus, Thevetin, Urgtnea acilla, Naja.

hormones androsterone, diethyl stilbesterol, estradiol, estrone,
estriol, pregnandiol, progesterone, testosterone.

Sapogenins: Agave, Bufo, Dioscorea villosa, Lilliacae, Yucca
sterols

Sterols: cholesterol, ergosterol, Vitamin D.

Physiological: aminotic fluid, corticotropin.

-----.

EMETINE HYDROCHLORIDE

A SHORT CLINICAL STUDY

A. Introduction:

Emetine is the principal Alkaloid of Ipecachuana. The roots of Ipecac contain Emetine, Cephaline, Kryptonine, Psychotrin along with O-Methy: Psychotrin and Emetine. Emetine is a powerful amoebicide, but is not a bactericide. It is mentioned that it is specific for amoebiasis and has remarkable value in the treatment of amoebic dysentery. Emetine has been used in an endemic dysentery, but for all purpose it was used hypodermically. In modern medicine Emetine Hyd. is administered by deep subcutaneous injections: and is not given orally because vomiting is produced. It absorbs very slowly from the site of injection thus cumulative toxicity is always present which might produce dangerous side effects. It produces its toxic-effects e.g. nausea, vomiting and diarrhoea, weakness of the muscles, aching, and tenderness of the muscles. It produces also the hypotension, precordial pain, tachycardia and dyspnoea and so it has been warned in "Modern Medicine" that if tachycardia develops, **the** emetine course should be discontinued. In one of my cases, it has produced diabetes.

B. Homoeopathic Preparation:

It is prepared in Decimal scale, Centesimal scale and lastly in 50 millesimal scale. My study is based on Centesimal scale and 50 millesimal scale potencies: I have tried 6, 30 and 0/3.

C. Clinical Symptoms:

1. Despair, dejected apprehensive, irritable.
2. Diarrhoea, with sticky or slimy mucous.
3. Burning, rawness or itching of anus after stool.
4. Mild colicky pain aggravated in early morning with desire to pass motion, which relieves the pain.
5. Loosing weight in spite of eating well.
6. Aggravation, early morning, eggs, meat, especially beef.

Clinically it is indicated in the following conditions with good results if above symptoms are present.

- (a) Mucous colitis.
- (b) Ulcerative colitis.
- (c) Amoebic colon.
- (d) Liver abscess (AMOEBIC)
- (e) Amoebic Hepatitis.

D. Indications for use:

- 1. History of dysentery.
- 2. Previous use of Emetine injections in crude form.
- 3. Mucous stools-very sticky.
- 4. Entamoeba Hystolitica and the cyst in the stool.

E. Tautopathic use:

As per tautopathy it can be used whenever there are side effects which are more predominant in a patient who had remote or recent injections of Emetine. In such cases potentised Emetine Hydrochloride can be given in the beginning of a treatment to ward off side effects. In this way I have used in number of patients with excellent results. In the majority of cases I have used centesimal 6 or 30 potency, singly or in repeated doses.

F. Potencies:

In my clinical study I have used centesimal potencies in 6 and 30 and in 50 Millesimal 0/3. I have found that 6 and 30 are good for removing the side effects of drugs, while 0/3 is useful when clinical symptoms are present and there are no side effects of the drug. 50 Millesimal potencies I have repeated frequently i. e. 2 times a day or even 3 times per day. In some cases I have found that cysts and Entamoeba Hystolitica have disappeared from the stool and the patient improves a great deal. Frequency of stools and mucous become less and less

G. Collateral remedies-Sulphur. Merc. Sol. Mer. cor, Pulsatilla.

H. Remedies that follow well-Sulphur, Pulsatilla

References:

1. Page, 259. The Pharmacotherapy. 2nd edition.
By Dr. A. R. Govinda Rao.
2. Page 343, Side Effects of Drugs. By L. Meyler.
3. Page 353, Materia Medica By Dr. William Boericke

PENICILLIN*

BENZYL PENICILLIN SODIUM C₁₆ H₁₇ N₂ O₄ SNa

Mind:-

Eraotive and Sentient Sphere:- Feels very lazy and tired.

Felt much stronger.

Prover feels stronger on medicine.

Felt less tired.

Becomes stronger physically.

Not so tired.

Was tired from the shopping in afternoon.

In evening suddenly felt very exhausted and the pulse was 106.

A dizzy spell once in the afternoon and twice in the evening and she staggered.

In evening the pulse was 94.

Feels weak.

In evening very tired and exhausted after doing a little shopping in the afternoon.

Very, very tired. Very tired in evening.

Felt stronger, some what overtired at end of working day.

Sometimes was a little more nervous than usual, either easily disturbed or a sense of being shaky internally, and tense.

Sense of being shaky internally, and tense.

Felt weak all over and exhausted for 2 days.

Dizzy, worse towards evening.

Nervous trembling.

Felt very much stronger.

Fidgety.

Felt stronger.

Head:- Vague shooting pains at different areas from the neckline upwards.

*** Compiled from an article entitled "A Proving of Penicillin" by Donald Macfarlan, M. D. which appeared in the Journal of the American Institute of Homoeopathy, Volume 50, No. 8 (August, 1957).**

Very pallid in evening (seen in a mirror).
 Was quite dizzy late in evening, as if objects were turning.
 A few hours after arising in morning the dizziness returned
 and the prover felt a pressure in the head and ears.
 Slight flushing of the face and a rapid heart beat in the
 afternoon. Later, pressure on the top and back of head.
 Sudden flushing of face in the late afternoon.
 Headache all day. It is frontal, with throbs in the ears,
 which was constant.
 Flushing of the face in the evening and the face looked red.
 The proving tends to stuff up the nose when it first gets cold.
 The eyes are puffed in morning.
 Dull constant headache through the forehead and eyes all day.
 Has had a few generalized heat flushes with slight sweating,
 and more on the face.
 Noted marked pulsation in left ear for a few seconds each
 evening since Thursday.
 Fever blister in the left nostril.
 For first time in months, the vision became very clear. Could
 read numbers from hymn board for first time in about a year.
 Nose ran very freely after drinking water.
 A pain in his gums when he brushed his teeth,
 A feeling of fulness or pressure back of right ear in mastoid (?)
 area.
 The mouth was dry with no thirst.
 Nose gets stuffed up a little in the morning.
 A feeling in the back of the throat, as if full of mucus, but
 it is not sore.
 A headache in the middle of the head itself. It is dull and
 constant from 11 A. M. until 5 P. M.
 When she read, her eyes felt tired. They felt as if they were
 being pulled. She noted that the sunlight was harder to get
 used to.
 Dizzy in the morning and objects were whirling around.
 In the morning is puffed up over the eyes.
 Had hot flashes in the face and in the neck. They were
 intermittent and in the afternoon.

The face remained flushed for about four hours. In the evening, however, the face became very pale.
 Flushing of face in afternoon, with a dull, constant frontal headache, but felt better in the evening.
 Rhinorrhoea is thick and perfectly white.
 When glancing sideways, the eyes feel as if they were pulled.
 Mouth very dry in morning.
 Dull pain shoots through head on right side, it starts from the back and goes to the vertex.
 Itching around the face in the evening.
 Dull and constant bi-tempora! headache.
 Occipital headache. This is in the evening when tired.
 Stood up to needle-work guild labors much better because of proving (aged female).
 Sharp headache in evening on lying down, on vertex of left side, constant, better after sleep.
 Dry mouth with thirst around noon.
 A dizzy spell once in afternoon and twice in evening, and she staggered.
 In evening pulse was 94.
 For two days, nose membranes felt very dry. Sneezed a number of times.
 The back of the nose at throat area seems swollen.
 Muscle in right side of neck is not as tight as it was.
 Headache generalized, a dull and consjpn state.
 Painless hoarseness is worse in morning. It is an effort to talk.
 Headache at 4 P. M., frontal, dull and constant. Nose would run dreadfully, just thin watery mucus, it would come in spells (the running); could hardly get up her handkerchief in time.
 Three spells of very dry mouth and very dry nose. Dull and constant generalized headache all week and soreness in left side and back of the neck. Frontal and vertical headache, at times sharp, other times .dull; pretty constant for a whole day.

Blood and pus is discharged from the nose off and on.
The nose gets stuffed, and later starts to run. It alternates.
Aching in the malar area. A dull ache.

In evening, for a short spell, the vision seemed somewhat blurred, with a feeling of fullness in head. Fullness in head. Slight flushing of face in afternoon. Constant, dull frontal headache. Had headache all day, worse in afternoon. Dry mouth with thirst. "(Very thirsty—constant—drinking does not help. The mouth feels dry, with usual amount of saliva. Lachrymation at any time. Dizzy, worse towards evening. Headache generalized and dull. Constant and worse frontal area. Ringing in ears is quite pronounced in later afternoon (at 5 P. M.) It lasted three or four minutes. Nose began bleeding a little. Next day three times.

In evening bled 15 minutes. It was bright red and started suddenly.)

Last night nose became stopped up. Prover sneezed before it became stopped up.

Sneezed a lot at night.

Watery rhinorrhea, nocturnal and profuse.. The back of nose is stopped up. Fidgety when the nose is stopped up. Puffed over eyes which betters as the day went on.

Flushing of the face. Mouth a little drier than usual with thirst in the morning.

Chest:- Distressing asthmatic breathing with difficult secretion.

Pain in area under ribs on right side. It was dull.

Pain under the heart extending to the left shoulder blade.
Rapid heart beat in the afternoon. The heart beats rapidly most of the time. Heart beats rapidly at 5 P. M. Pressure around the heart in the afternoon. Entire back has been very dully painful all week, both spine and muscles. Feels a crushing and squeezing pain through body as if from cold. Out of breath on fast walking in the morning.

Around the body, in the middle area, and mostly in the back, sore to breathe.

Itching across the front of the chest after supper. It lasted for one hour.

A catching backache develops in the middle of the same; rather sharp and it was constant.

A sensation of weight on the front of the chest.

A soreness and pain which is sharp and quick around the heart.

Next day, still had soreness and pain around the heart and the prover found it difficult to take a deep breath. Pain, and it was pressive, under the breast bone and it radiated over the chest.

Backache, rather sharp, lower middle area; pretty constant: lasted all day; better by lemon juice.

Itching on the body (evening).

Seems stopped up in the chest, "in the tubes." It is difficult to breathe. She could not walk fast, and was forced to slow up. Because short of breath while walking several times sitting at her desk in the evening.

The pulse is 94 and irregular. It seemed to hesitate, then fade away, then hasten to catch up. Heart beat seems many times like a nervous beating.

Some pain in left chest (sharp). Pain in both chests, constant and dull, and the chest is tight and heavy.

Coughed kind of dry several times during the day.

Her -painless hoarseness is worse. Brought up only a little mucus.

Larynx is much irritated, mucus is sticky and difficult.

Wants to clear throat often.

Painless hoarseness continues, worse in morning and evening.

It is an effort to talk.

Felt as if a weight were on chest, after walking out of doors a few yards in early evening, but this did not continue after riding in a car.

- Symptoms enclosed by brackets are doubtful—
AUTHORS

At 4-30 A. M. had a spell in bed. Could hardly get her breath. It felt as if something were closing her throat. Awoke so suddenly she thought she was hit. Better by lying still. This lasted one hour. Pelt all right at 8 A. M.

Some shortness of breath or rather a feeling of tightness in the chest. The pain is sharp and constant around left ribs. Dry cough comes at any time. Darkish (blackish) streaks in sputum.

Aching in the inside of throat.

Hoarseness comes and goes. Thought she was in for tonsillitis.

Dry cough comes on in spells.

Shortly after taking medicine had hiccoughs for a few minutes.

Hiccoughs again in morning.

Pulse rapid during evening, with slight palpitation of the heart then. Pulse a little rapid in afternoon.

Had pressure and soreness around heart, with an occasional intermittent pain.

Sense of weight on chest.

Until Tuesday heart beat was slow but the rate has been more rapid today.

Hoarse, worse talking loud (?).

The whole back is stiff and sore and it is worse on motion.

Hot flashed from mid chest upwards in afternoon but for a short time only. The area is reddened.

Dull and constant backache.

Less discomfort on exertion and less dyspnoea.

Abdomen:- Burning in bladder after voiding noted for a few days.

Diarrhoea at 3 A. M., copious. The pain felt following evacuation.

Pain in area under ribs on right side. It was dull.

Urinary specific gravity moves from 1.008 to 1.011 but systolic pressure goes from 110 to 123. Kidneys become more active, about 10% more than usual.

Hot flashes from abdomen up in afternoon.

Kidneys more active, amount unchanged for a greater frequency.

Constant soreness and tenderness in right lower side (ovarian area). It lasted all day.

Primary costiveness.

Urge to stool is acute and with gas pains.

Was hungry all day long, and was especially keen for lunch. She felt as if she wanted to eat something sweet. (This is unusual, the amount of this desire.)

Urine is darker and not passing so much. Did not void so much urine for two days running. Passed more urine in evening. Stopped the nocturia which had been as often as thrice.

A lot of gas in her stomach. Gas pains in stomach which were sharp.

Urine was much darker and voiding less that day.

Last night itching lower down in body. It was around the waist.

Too frequent passing of urine. Urine darker in color. In three days specific gravity went from 1.008 to 1.017 with frequent repetition.

After breakfast, acid eructation, white and curd like water-brash.

Rather a burning irritation and slight soreness in the pit of the stomach.

Digestion much better, less gas, and not puffed after eating. Improvement continued during following days: little gas, quieter pulse. Had some intestinal pain with loose bowel movement about 4.30 P. M.

Increasing sense of fullness after evening meal. Rather puffed after eating.

Awakened by intestinal pain which disappeared after copious bowel movement. Return of burning irritation in pit of stomach; relief after belching gas.

Copious bowel motion about one hour after eating dinner.
Kidneys somewhat more active and at times urine was more highly colored.

Occasional ovarian neuralgic pain, not of constant duration.
Bowels mostly regular and at times stools are clay colored.
Kidneys were active as to frequency but amount unchanged and this has kept up.

Urinated much more often and a large quantity (?).

Caused stool to be lighter in color (?) (But she was on a milk diet.).

Passing less urine.

Last night voided twice. This is unusual.

A soreness and tenderness in lower right side (ovarian area) with occasional sharp and intermittent pain extending across abdomen to the left side. Pain and soreness in right side (ovarian area.)

Urination more frequent but only during the day.

Slight burning during urination.

Extremities:- Numbness in right foot.

Sharp and intermittent pain in right arm; also arm painful.

Dull pain in left knee, worse on bending.

Hands and feet were puffed with pressure.

The left hand gets puffed and hard to close.

Sharp and intermittent pain in right arm, lasts ½ hour.

Pain descends. It is very painful when it hits the wrists.

Numbness in the right foot in afternoon.

A generalized stiffness noted after picking up apples and walking.

Soreness and pain which is sharp and quick in the right arm and in the palm of the left hand.

Numbness in hands and feet in the afternoon.

In morning, is puffed up in hands.

Cramps in calves of the legs every day for more than a week.

The cramps came and went.

Sore to touch around the right shoulder.

Hands a good bit better as regards the cold clamminess.

After bathing, itching went from left leg in morning.

Left leg and lower back ached sharply and severely upon awakening. Was soon relieved and saw no reason for the relief.

In afternoon, a strange feeling of weight and numbness in the second and third right toes.

For a few seconds, feeling as if needles were sticking into the right toe; this happens occasionally.

A little numbness in left leg and foot about noon and again in the evening.

Considerable trouble again with right toes and foot.

A pain in right leg and lower back, comes and goes at times. It is a sharp aching pain.

Tingling in right leg and foot and a tiny bit in the left leg. The right ankle is puffed, the left only a little bit.

In early morning, had a very sharp cramp covering entire right leg for about a minute,

AU week has noted a tingling sensation in legs and feet at intervals, especially when sitting.

Pain in right leg continues.

Pain under right shoulder, constant and dull.

Tingling sensation in feet and legs while sitting in the chair in evening.

Some evenings had a slight aching pain down the left leg from under the knee and twinges in the large toe. Similar pain and mild soreness to pressure in the right thumb at the first joint.

Sharp pains in left arm and under the left shoulder blade. It lasted two days.

Constant crampy sensation in calves of legs, and it is worse in the left one.

Puffing in the hands and feet.

Numbness in right hand and right foot.

Back and Body:- Entire back has been very dully painful alweek, both spine and muscles.

Feels a crushing and squeezing pain through body, asif from cold.

A generalized stiffness noted after picking up apples and walking.

Itching of whole body in morning. It was very marked.

An old woman notes a steady but sure gain in weight;she is now 118 pounds but had been 105 pounds.

A catching backache develops in the middle of the same, rather sharp and constant.

Backache rather sharp, lower middle area, pretty constant, lasted all day, better by lemon juice.

Body itching (evening). Last night itching lower down in body. It was around waist.

Lower back ached sharply and severely upon awakening.

Lower back pain, comes and goes at times. It is a sharp, aching pain.

The neck is not doing so much of the severe sudden jerking but it is still shaking.

Aching all over the body in morning. This is sharp and constant.

All of body ached sharply and constantly. It was very much the entire day.

Body pain sharp.

Muscle in right side of neck is not so tight.

Twice in the evening felt pain all over body like "gripe" for a few minutes. It was a constant, dull condition for a few minutes, then there was sweat followed by relief.

Whole body ached with a dull pain all day.

Sore back of neck.

Muscular pains at various spots noticeable upon stretching or retching.

The whole back is stiff and sore and it is worse on motion.

A dull and constant backache.

Skin:- Very pallid in evening (seen in a mirror).
 Itching on right side at base of neck posteriorly noted after supper. When it is touched, a reddening develops.
 The eyes, hands and feet were puffed with pressure.
 Slight flushing of the face.
 Left hand gets puffed and hard to close.
 Sudden flushing of face in late afternoon.
 Eyes and feet are puffed in rooming.
 Flushing of the face in evening.
 Face looked red.
 Face sweating.
 Fever blister in left nostril.
 Itching of whole body in morning (very marked).
 Itching across the front of the chest after supper. It lasted for one hour.
 In morning is puffed up over the eyes and in the hands.
 Had hot flashes in the face and in the neck. They were intermittent and in the afternoon.
 The face remained flushed for about four hours.
 In the evening the face became very pale.
 Flushing of the face is afternoon.
 Itching around neck was bothersome and worse towards bed time.
 Itching around face and neck in evening.
 Itching on the body the next evening.
 Hands a good bit better as regards the cold clamminess.
 Itching around the neck when getting undressed at night.
 At night itching lower down in body. It was around the waist.
 After bathing, itching went from left leg in morning,
 Right ankle is puffed.
 Face flushing in afternoon.
 Puffing in hands and feet and over eyes, which betters as the day went on.
 Flushing of face.

Chili, Fever and Sweat and Circulation:- Systolic pressure goes from 110 to 123.

Rapid heart beat in afternoon.

Hot flashes in late afternoon.

The heart beats rapidly most of the time.

Systolic blood-pressure goes to 160 from 140.

Felt drowsy at 5 P. M. and heart beat rapidly then.

Pressure around heart in afternoon.

Has had a few generalized heat flashes, with just a little sweating, and more on the face.

Pulse was 62 before breakfast. Very weak at that time.

Proving raises blood-pressure from 160 to around 184.

Pulse average drops from 94 to 84 (systolic unchanging).

Sharp and quick pain around heart.

Sore and painful around heart.

Pain (pressive) under breast bone and it radiated over chest.

Hot flashes in face and neck. They were intermittent and in the afternoon.

Face flushed for about four hours.

In evening, face became very pale.

Flushing of face in afternoon.

Hot flashes in afternoon.

Thirst in middle of the night.

Hands better as regards the cold clamminess.

Thirst at noon with dry mouth.

Pulse was 106 in evening.

Again in evening pulse was 94.

Proving dropped the systolic pressure to 128 (lowest in my memory).

Pulse is 94 and irregular. It seemed to hesitate, then fade away, then hasten to catch up. Heart beat seems many times like a nervous beating.

Pains like gripe pains. Then there were sweats followed by relief from the pain.

Pulse goes from 82 to 86; temperature from $97 \frac{1}{5}$ to 96;
and systolic from 137 to 134.

Two sweats generalised during evening.

Several sweats during afternoon and evening.

Pulse becomes quieter.

Pulse rapid during evening. Slight palpitation of heart then.

Pulse a little rapid in afternoon.

During past week, while taking medicine, was more thirsty,
particularly afternoon and evening.

Chilly at times until Tuesday; heart beat was slow but the
rate has been more rapid today.

Temperature rises from $96 \frac{4}{5}$ to $98 \frac{2}{5}$.

Became very chilly in afternoon all over, from being in a
cold house.

Hot flashes from mid chest upwards in afternoon. The area
is reddened.

Flushing of the face.

Morning thirst.

Sleep:- Fell asleep more rapidly.

Afternoon drowsiness.

Felt drowsy at 5 P. M.

Sleeps more soundly than for a couple of months.

Slept more soundly.

Sleeping much sounder in an old woman. She does not
now hear alarm clock go off. This is unusual.

Slept in fits and spells all night until 4.30 A. M. Amelioration
after sleep.

Another worse after sleep.

Has not been sleeping well, only four hours, then awakens,
then falls asleep.

Dreaming in sleep.

Confused dreams, somewhat terrifying.

Slept better and felt stronger.

X-RAY

Mind and Disposition:- Mental irritability.

Clearing up of mental function after sharp stabbing pain in left temple staggering him, the heart feeling the impulse immediately.

Mental processes not clear, writes wrong words in letters.

Mental condition upset during profuse menstruation, would like to kill somebody.

Head:- Sleepy with headache.

Headache gradually extending to frontal region, worse in centre of forehead.

Sense of pressure in centre of forehead.

Dull headache in morning, worse when stooping and after rising.

Headache and soreness, worse towards afternoon. Head feels empty as though scraped, worse at night in bed.

Pain in right side of head above temple.

Sharp stabbing in left temple, followed by clearing up mental function, the heart immediately feeling the impulse.

Sense of oppressive fullness starting from posterior bridge prominence of vertex in a central straight line to bridge of nose-, followed by fullness in entire vertex extending to bridge of nose.

Aggravation of fullness over vertex, worse along the centre to nose and when stooping over.

Aching on top of the head across a long coronal suture-on blowing nose and after it.

Constant ache in vertex, worse on awaking also on coughing, sneezing, or head low.

Heavy pressure on vertex as from a hand (old symptom, absent a year.)

Sticking pain in different parts of head and face

Cannot bear slightest touch though hard pressure relieves for an instant ;> by walking the floor.

Pain>by lying on left side of face and body.

Fain in back of head > at times by massage slightly, also by heat.

Neuralgic pains.

Neck:- Stiffness on left side of neck, turning in bed.

Stiffness on right side of neck, with intense pain at night; occurs in paroxysms during the day>somewhat by hot applications.

Sudden "cricks" attack first one side of neck, then the other, on getting cold>turning the head nearly produces convulsions. Pain more severe behind the ears—the mastoid process.

Pain relieved on keeping perfectly quiet; sometimes by gentle motion.

Eyes:-Eyeballs sore.

Sensation in right eye as if bulging.

Ears:- Fullness in ears, worse in right ear, worse by inserting finger.

Intermittent noise as of deep steam—whistle in left ear, and ringing in head.

Ears more clear from ringing and dullness of hearing than for many years, an improvement lasting up to this day. Healing action.

Nose:- Bloody mucus from the nose.

Sulphur—vapor sensation in throat and nose.

Congested sensation in head and nose as before coryza.

Face:- Slight electric current sensation in left side of tongue and face passing over and disappearing in right side of face.

Mouth:- Tongue dry, rough, sore and scraped.

Scraping pain in lateral incisor, aggravated by noises and jarring of ears.

Throat:- Sulphur—vapor sensation in nose and throat.

Throat painful on swallowing.

Appetite :-Aversion to meat.

Appetite diminished.

Desire for sweets.

Most distress after midday and evening meal. No hunger, goes till he feels faint.

Can eat plenty but does not enjoy it.

More thirst than usual.

Thirst for cold drinks though nothing tastes good.

Bitter taste.

Nausea, Vomiting:- Nausea and vomiting with profuse sweat after immense stool at 4 A. M. seven days after taking.

Abdomen:- Abdomen distended with full feeling. (Pulsatilla, which a year ago helped for months a train of symptoms, had only very slight effect)

Flatulence with ineffectual desire for stool.

Colicky pains in right lower abdomen, sometimes extending behind the hip, and retained urine.

Stool:-. Stools green though normal in consistency. On straining at stool a sore sensation in nates. Ineffectual urging to stool, with flatulence.

Urine:- Retains urine, vesical tenesmus after enormous evacuation, vomiting for twelve hours to 4 P. M. Frequent urination, worse after getting into bed. Pressure as from congestion about kidneys.

Male Sexual Organs:- Sexual desire lost in man.

Testes relaxed, impotent feeling.

Unnatural or disgusting, lewd dreams on several nights, or several times in one night.

Female Sexual Organs:- Menses dark green, one day.

Pain darting upward in region of left ovary when sitting, walking or standing.

Flushes of heat better afternoons and evenings.

Chest:- Wandering sticking pains in chest, worse on right side.
 Stitching pain in right upper chest going through to upper part of scapula.

Heart:- Palpitation during evening causing cough.
 Sharp pain at apex of heart, better by lying on left side.

Palpitation with a cough with tearing sensation in bronchi and hoarseness.

Heart's sound keeps him awake while lying on left side.

Dull and constant soreness around heart, and worse in legs and arms.

Back:- Pain in dorsal region.

Lame and stiff in back

Aching whole length of spine.

A paralytic sensation extending from spine down left leg.

Rheumatic—like fever in trunk, steady dull pain going steadily from trunk to legs, and finally to heels, worse in left knee, worse stepping on heel, on underside of heel (old symptom of inflammatory, rheumatism twenty-five years ago.)

Upper Extremities:- Rheumatic pain in left wrist and forearm.

Rheumatic twinge in last two phalangeal articulations of index and middle fingers for a short time in fore-noon.

Grating heard in shoulder joints, as well as nearly all other joints of the body.

Rheumatic pain in right wrist and arm.

Can't hold things in left hand, powerless or clumsy.

Palms of hands, which were rough and scaly and bleeding at times become smooth and natural during the proving. Healing action. (Afterward they went back to former state when general health improved.)

Lower Extremities:- Lower part of both legs asleep, tingling as if from electric battery more in right, immediately.

Sciatic pain in right hip.
 Rheumatic pain in limbs.
 Dull aching posterior aspect of thigh and calf in morning,
 From above downward.
 Pain in right sciatic nerve on walking.
 Rheumatic pains in front of right thigh.
 Drawing aching discomfort in right thigh through hip and knees
 Down though toes, immediately.

Feelings if somebody were drawing icy hands over thigh downward,
 aggravating slowly. (This occurred first twelve years ago after a
 nervous shock and did not return for five years.)

Rheumatic:—like fever in trunk, steady dull pain going steadily
 down to legs and finally to heels, worse in left knee, worse stepping
 on heel, on underside of heel (old symptoms of inflammatory
 rheumatism twenty – five years ago).

Fever:- Chills as soon as beginning to sleep, running up right
 cheek. Wave-like sensation as if it would break out in perspiration.
 Profuse perspiration on getting into bed. keeping him awake.
 Sleep:- Kept awake by heart's sound while lying on left side.
 As soon as she begins to sleep, chills running up back preventing
 sleep.
 Sleeplessness constant and troublesome (relieved permanently
 by a bottle of Pabst Malt Extract.)
 Drowsy all night while sitting up.
 Drowsiness leaves the instant when lying down, so cannot sleep.
 Symptoms worse when getting into bed, worse after sunset. Profuse
 perspiration on getting into bed, keeping him awake.
 Sleepy during day.
 Waking frequently at night from no apparent cause.
 All symptoms worse in bed.
 Dreams of strife, busy dreams.
 Very vivid lewd dreams, repeated night after night. General
 Symptoms:—General tired and sick feeling.

Persistent exhaustion and languor, not attributable to Spring.

Lame and sore all over.

Trembling all over.

Skin:- Reappearance of an old, slight, pimply eruption on left side of forehead.

Return of a slight eruption on outside of lower legs, burning when scratched, worse after scratching.

Relations:- Compare; the Calcareas, Caust, Hepar, Med., Nat. mur., Psor., Puis., Sili., Sulph., Thuja, Tub, for its power to reproduce old or suppressed symptoms and conditions; Act., Lil., Lac can., Plat., Sep., Pyr., for nervous reflexes and neuralg condition rom ovarian or uterine irritation: Agar., Cur Tar., Zinc, for irritation of the cord, spinal reflexes neura- sthenia; electric storms, thunderstorms, Agar., Med., Nat. c. Phos., Psor., Rhod., Sep., Sil., Syph., Thuja.

Antidotes:- Nux, Sulph, and the dynamic potencies of the remedy.

Aggravation:- In bed; towards evening and at night (both mental and physical) in the open air: in the afternoon.

CHAPTER 5

A FEW CASES

Case No. I

Case of a child—aged 6.6 months – Wt. 12 lbs.

- (1) Temperature 102°.
- (2) Cough and vomiting—3 to 4 times.
- (3) Child was losing weight according to the mother's information.
- (4) Stomatitis.
- (5) Mother said 'His belly (abdomen) is going thinner and thinner.

On examination; chest Rales—both sides at the bases. Heart N. P.
The child was under treatment of a M.B.B.S. Doctor for 10 days.
Was given some mixture plus tablets (Cibazol).

1st day: I gave Ant. tart 30 one dose—6 hourly.

2nd day: Cough+ but it was painful. The child was crying when it was to start.
Fever—less, only for two hours. Ant. tart 30, 3 doses, six hourly.

3rd day: No further progress.

4th day: No progress. Sulphathiazole 30 was given, one dose, 2 grains in powder form.

5th day: Temperature rose up during night and continued upto morning. Cough+ Motion in the morning. Stomatitis + Vomiting once. Sac. Lac.

6th day: Cough ameliorated. No temperature. No Vomiting. No crying. Child was better and was asking for milk. Motion in the morning – Sac.Lac.

7th day: Slight cough without any trouble—General improvement seen. Sac. Lac.

10th day: No cough . No temperature. Mother said 'He is alright.' Sac. Lac.

12th day: Weight J3lbs. (Rechecked at two places and found correct.)

13th day: Cal. Phos. 3x two grains per dose, two times for 8 days.
(N. B: M. B. B. S. Doctor's diagnosis was pneumonia.)

Case No. 2

Again a child—6 years old—very intelligent (Daughter of an officer).

1st day: Cough – with temperature for the last 15 days. Difficulty in breathing. Cannot walk much. Aggravated at night. Insomnia. Fever at night upto 102°. Cough—dry, barking, and painful. Has to support chest. Cannot take food. Vomits after taking food due to cough. Pain in the abdomen sometimes. Tonsils, both sides are infected. Chest—Rales and Ronchi—both sides.

PAST HISTORY

Pneumonia—2 years ago. Measles 5 years ago. Had treatment from a B. Sc. M. B. B. S.. D. T. M. Doctor. Ten Dicrystin injections were given with mixture with some tablets. First Doctor's diagnosis was whooping cough, then changed to pneumonia.

1st day: Procaine Penicillin 6, three doses of 1 grain, at the interval of 6 hours as Dicrystin contains P.P . 3000.

2nd day: Temp. 100°. Diarrhoea appeared. Loose motion, 6 times within 12 hours. Cough ameliorated. Had sleep. Difficulty in breathing was there. No medicine.

3rd day: No temperature. Only four motions. Cough ameliorated. Can take food now. Had good sleep. No pain in the abdomen. No difficulty in breathing. No medicine.

4th day: No temperature. Cough ameliorated. Good sleep. Two motions. Tonsils better than before. Can take food well. No Rales and Ronchi. Patient is much better than before.

5th day: Cough—sometimes for a minute. No temperature. Tonsils reduced. Rhus Tox 30 one dose.

7th day: Much better. Sac. Lac.

8th day: Left for Bombay on Holidays with 8 days medicine, Placebo.

28th day: Returned Hale and Hearty from Holidays.

Case No. 3

Patient—A Govt. Medical Officer—45 Ambistrin were given. 200 Isonex tablets. Ayurvedic Medicines, Sharkoferol.

Patient was screened in the Civil Hospital-Diagnosis — T. B. Lungs. Patient said that every injection of Ambistrin was making him worse and producing giddiness, headache, deafness, mostly in the left side. Cannot hear properly. No pathological evidence.

1st day: Ambistrin 30 three doses, 2 grains per dose 6 hourly.

2nd day: Aggravation of cough. N. P. Sac. Lac.

3rd day: Feels better—cough ameliorated. Vertigo also ameliorated. Headache, mild.

4th day: Vertigo ameliorated. Heaviness in the Head reduced. Can hear better thanbefore in the left ear. No cough during day time. Weakness also decreased. No fever. Pain in the right side also reduced.

5th day: Vertigo ameliorated. Can walk belter. Heaviness in the heed reduced. Falling sideways disappeared. On the whole much better.

6th day: Pain in the neck (which he had). Cough dry in the morning. No headache. No visual difficulties now. No deafness.

7th day: No vertigo. No headache. No visual difficulties. .

8th day: No vertigo. No headache. No visual difficulties,

9th day: No vertigo. No headache. No deafness in the lt ear.

10th day: Bacillinum 200/1.

Case No. 4

Drug: Ephedrine

Mr. M. Aged 64 yrs.

A patient of mine was under treatment for prostatic complaints and he was feeling better for the last 6 months. He developed cold attack followed by incessant cough with fever. It continued for 5 days without the aid of medicines as he was 45 miles away from Kottayam. As the cough was troubling him he approached a nearby Allopathic Doctor who prescribed Zephrol, which contains Ephedrine for his cough. After taking 2—3 doses his cough was better, but he found difficulty to pass urine. Even after 6 hours he could not pass urine at all. The patient approached the Doctor and he was catheterized twice not knowing that this was due to the drug taken. However, the patient could not pass urine voluntarily and he wanted to avoid catheterization. He was rushed to me for help. After going through the history and the contents of the medicine, Zephrol, I suspected that it was the effect of Ephedrine content of the drug, which has its side effects—urinary complaints with retention of urine and prescribed Ephedrine 6/12 doses 3 hours apart. After the 3rd dose he started passing urine without the aid of the catheter. He was advised to continue the rest of the doses with the effect that he never had to resort to the catheter again.

Comments:- This proves that immediate after-effects can be met immediately by Tautopathic drugs which all practitioners must have at hand for emergency cases to save the immediate situation in a critical condition of the patient. The patient never had afterwards such a complaint—retention— in spite of his enlargement of prostate—for the last 8 months.

*Case No. 5***Drug: Emetin Hydrochlor**

Side Effects: Cardio—vascular—Tachycardia.

Electrocardiographic abnormalities, myocarditis, pericarditis, hypotension Diabetes. Allergic skin diseases. Vertigo, General weakness and prostration. Burning sensation in the Rt. Hypochondriac region.

Case **Report**:- Mr. K. E. K. aged 52. L. I. C. Officer. Presented the following history. Had amoebic dysentery in 1942. Continued for 2 months. Had one full course of Emetine Injections followed by second full course after 6 months. Afterwards every summer gets diarrhoea. Continues for 2 to 3 months. Everyday 7—8 motions.

29—7—68 Now—Loose motions 6—7 times in the morning after food. Stool—undigested, foamy with mucous. Weakness after motion. Burning in the abdomen before stool. Rumbling and roaring in the abdomen. Aggravation by starchy food, milk, fried things, cereals, cold water, ice cream. Distension of the abdomen. Flatus relieves. Burning sensation in the back since 3 years.—Thoracic region, aggravated by exertion. Palpitation. Itching in the groins. Rheumatic complaints—aching of the extremities aggravated by cold, on writing, driving, rainy season. Swelling of left ankle better by lying.

Mentals:- Hurries, loquacious, weeps, obstinate, IRRITABLE, SUSPICIOUS, DEPRESSED and sad, despair of recovery, anxious, consolation aggravates. Forgetful. Emotions aggravate, wants to commit suicide, but afraid, has taken leave for 6 months as he dislikes to work. Has thoughts of resigning his job, because he cannot work.

Treatment adopted:- Allopathy, Ayurveda, Treated in U. S. A. by a specialist.

Past history—nil except some injury.

Family History—mother—Rheumatic.

Vaccinations—small pox 12 times, Cholera 1, B. C. G.
1

General Modalities: Aggravation, Morning. 9 A. M., summer, rainy weather, exertion, relieved by heat, likes sweet and spicy things, likes to lie on the rt. side.

B. P. 106/76—Wt. 113 lbs—was 130 one year ago.

Physical examination. Abdomen—distended with hardness in the hypogastric region.

Suggestive Medicines: Ars. Alb, Chini. ars. Mer. cor, Phos, Emetine.

29—7—68 Medicine selected: Emetine 6/30/3 times per day.

16—8—68 Was much better—His words were "Medicine gave a new life to me." Weakness. No loose motions. Ars. alb 0/3/45/3 times per day.

5—9—68 N. P. at times 3—4 motions, undigested, weakness better, mentally better. Burning started again. Emetine 30/1 dose followed by Ars. alb 0/3/45 after 6 days.

16—10—68 Feels much better, only 3 foamed motions per day, weakness. Emetine 30/1 dose.

25—I—69 Till now after last medicine he was feeling well. Joined duty. Occasional loose motion when meals are not taken in time. Emetine 30/1 dose.

21—A—69 Feels better. Slight Rheumatic complaints. General weakness, mentally much better, but at times anxious. Ars. alb 0/6/60/M. E.

Comment:-Being an officer and coming from a distance of 20 miles the patient was lazy to come for the medicine and so was not very regular in taking the medicine also. Whenever he was passing through Kottayam he used to drop in to take the medicine, but still he recovered from his "miserable attitude" towards life

Case No. 6

Drug: Terramycin (oxytetracycline)

Case Reports:-Miss Judy, aged 2 J years—Daughter of a Lady Doctor (D. H. M.) had fever with urticaria like eruptions on forehead and legs. Seven Terramycin injections were given within a week. Complaints subsided within 4 days. Came out all over the face with puffiness of the face and profuse oozing of pus. Child was moaning and crying with the pain. Would not allow to touch the body. She was unable to open the mouth as there were eruptions also in the mouth with salivation. She could take only liquid in small quantities.

5—6—69 Rhus Tox 0/3/1H/4 hours interval.

6—6—69 Not much change. Terramycin 30/1 dose.

7—6—69 Some eruptions are drying up. No fever. Terramycin 30/1 dose.

13—6—69 No fever. No oozing and most of the eruptions are dried up, but itching continues. Terramycin 30/1, 1st day followed by Mezerium 0/3/1H/3 times per day.

21—6—69 Scabs peeled off from the scalp and other places, itching aggravated at night. One abscess in the axilla and the other in the back. Terramycin 30/1 at bed time, followed by Mezerium 0/3/1H/M. E.

30—6—69 Feels better, itching without eruptions continues. Sweating on head. Boils dried up. Mezerium 0/3/1 H/M. E.

5—8- 69 Cold attack , sweating on head with a few eruption on the scalp. Cal. Carb 0/3/30 M.E. m 0/3/1H/M.E.

I—10—69 No eruptions. Feels perfectly alright. Cal. carb 0/3/1H/M. E.

N. B. 1H = 1 ounce of vehicle is used (distilled water) M,
E= Morning and Evening.

Terramycin 30/1 = Terramycin 30th potency = 1 dose.

Cal. carb 0/3/30/M. E=Cal. carb 0/3 potency—30 doses—I in the morning and one in the evening.

Case No. 7

Drug: Tetracycline

Mr. F. Aged 68. A famous writer. Was under my treatment for his so called rheumatic complaints and gastric complaints. One day suddenly he had gastric upset and diarrhoea followed. Became weak and fainted. He was rushed to a Mission Hospital, where saline and glucose were given together with antibiotics. Diarrhoea stopped but had severe reaction on the body. Whole body was swollen up and became pinkish red. All possible anti-allergic treatments were given but without relief. Was brought home and I was called in. When I saw him it was a surprise to me to see him disfigured. He told me the story. I laughed. He asked me to do something as he cannot tolerate itching and can't sleep day and night. I told him that I must have the names of the medicines which were given to him. His cousin phoned to the Doctor who treated him but the Doctor would not tell the names of the medicines. However, the other cousin who had a medical shop and who supplied the medicine came out with all prescriptions and he told me that this medicine (Reverin I. V.) created all the troubles. Before that I gave Rhus Tox 0/3/6 which gave but temporary relief. As soon as I came to know that it was Tetracycline I gave two doses of Tetracycline 30 prepared by me at the interval of 12 hours and after two days swelling started subsiding and peeling of the skin started. Itching was 90 % relieved and had comfortable sleep afterwards and within 10 days, skin peeled off from all over the body and the whole allergic reaction completely disappeared. The Doctor being a friend of the patient made three visits during this process and he was amazed to see the result of Tautopathy, the sister of Homoeopathy. He was satisfied. What else do I want?

Case No: 8

Drug: Nicotine

SMOKING & NICOTINE

F. C. E. Schneider M. D., (U. S. A.)

Why do people smoke? Is it a habit or is it a pleasure or do they smoke because others are doing it and they want to fit in with the crowd? People give various reasons for smoking. To some it gives a feeling of relaxation and contentment. Others say it stimulates them mentally, it is noticeable that a cigarette smoker, before beginning a conversation, invariably has to light a cigarette to put himself at ease. One is reminded of the morphine addict who has to have his shot before he is capable of carrying out his intentions.

The active properties of tobacco, whether used for chewing or smoking, are due chiefly to Nicotine. Nicotine is a toxin and toxins are injurious to the health of the body. Some people have more natural resistance than others to various toxins the body picks up. A person allergic to Nicotine can get Nicotine poisoning simply by inhaling the smoke from someone else. I wish to give you an idea of the effect smoking had on a patient of mine over a period of years.

This person, Mr. H. O. now 65 years old, had been treated a number of times for Nicotine poisoning prior to 1932, and each time intended to stop smoking but could not give it up very long at a time. In May 1932 he came to me and wanted his piles cut out. I told him we would see what was causing the piles. I noticed that Nicotine was affecting his parasympathetic nerves. I asked him to stop smoking and put him on Nicotine 200, a dose four times daily. Later he was given Lobelia 3x, four doses daily, until all symptoms disappeared. In less than three months his piles were gone, no other treatment being given, not even local applications. He soon began smoking again and about six months later returned to my office with the same request—to have his piles cut out—and I said, "Let us see what caused the piles to reappear." Again he was told to stop smoking and was put on the above remedies and in three month's time the piles disappeared. After an interval, he again began smoking

with consequent return of his piles, which once more disappeared Under the same treatment, minus the smoking.

Later on I noticed he was smoking again, but this time he did not return to me for treatment but went to some other doctor who, I am told, removed his piles. He continued to smoke and finally it affected his sight, causing double vision. The Optometrist who previously had fitted him with glasses, told him he could not give him any stronger glasses and suggested that he consult a physician. Right back to me he came. Examination again showed Nicotine to be the troublemaker, and he made another promise to stop smoking. With the same treatment for several months, his double vision disappeared.

For some unaccountable reason the craving for smoking was so strong that he lacked the will power to refrain from it. Nicotine was his boss. After a lapse of time, he again appeared at my office almost unable to walk. His Upper thighs and testicles were raw and sore. He was wearing suspensories and said he had to get a new one frequently, for the oozing kept it soaked and irritated the skin around it. Again Nicotine was the mischief maker and, as before, when Nicotine was removed out of the system, the trouble disappeared and the surrounding areas were healed- I told the patient it seemed he could never learn, for with all his good intentions he would resist the urge to smoke only for a limited time.

Some time later he came back saying, "I came back early before it got sore." He noticed the testicles and thighs were beginning to cause trouble. So again he had to stop smoking and I had to remove the Nicotine using the same remedies, to allow the tissues to return to normalcy. It is about one year since the last spell, and so far he has refrained from smoking, but for how long only time will tell. Perhaps he has learned that it is better to make new mistakes than to make the old ones over and over again.

If the patient smokes just a puff or two during the treatment, the effect of the remedy is destroyed at once. It is necessary, therefore, to have his promise to follow instructions to the letter. It is strictly up to the individual to decide which is more important to him—his health or the so-called pleasure of smoking.

Case No. 9

Name of the Patient: Mrs. Makim. age: 59.

This patient is very sensitive to drugs, but inspite of that, when she developed fever, on 27th August, 1974, she was first given METACIN which brought down the fever temporarily, but she developed cough and cold, for which the doctors prescribed TERRA-MYCIN 3 capsules only, to see the effect of medicine. After a couple of days, she developed a pink rash like velvet all over her skin. To antidote the effects of Terramycin, they gave some injections, medicines etc. In the past too, she had taken some drugs for her diabetes and had developed similar skin disease with enlargement of the glands for which STREPTOMYCIN was given, which gave rise to choking sensation. Being an extremely well-to-do patient, I was shown a big file of various reports not only from India, but from U. K. too.

This disease was diagnosed by a skin specialist as 'SOLAR DERMATITIS'. All sorts of applications and medicines were given, but the rash persisted.

As there was so much talk about doctors and their different diagnosis, I could hardly get time to get personal symptoms from her. She immediately wanted some remedy to relieve her itching and her pink rash all over her body.

I.8.'74 TERRAMYCIN in 30th potency was repeated 3 times a day. After about a week, she developed a little fever but the rash on the skin and the itching was less. TERRA-MYCIN 200 a single dose was given, with plentiful placebo. After about a week, there was further improvement and most of the red patches had disappeared leaving skin white and I found that the skin of the palms and soles were peeling. No more Terramycin was administered and the patient had a fine recovery in about 6 weeks.

Case No: 10

Name: Mr. S. Age. 50.

This patient is suffering from Urticaria for the past several years. He has taken various Allopathic and Homoeopathic medicines without relief. There was no definite modality except better by cold applications. He is a hot patient and has suffered in the past from Eczema. On further questioning I could not get any key symptoms to prescribe so I again questioned once more as to how it started years back and he told me he had taken Marking Nut which was given by a Vaid for some ailment which he does not remember. Anacardium Oriental in the 30th potency was given in repeated doses. The Urticaria disappeared completely but after a month it again appeared in milder form. The same remedy in the 200 potency 3 doses has made him completely free from this disease. **(Dr. S. R. Wadia, M. B. B. S., M. F. Horn. Bombay).**

Case No. 11

Name:— Mrs. A:— Age 26.

Had pain in the Rt. Hypochondriac region radiating to back with sudden rise of temperature, headache, oedema oi" the face with prostration and shivering- A Doctor was consulted who gave -some injections, but "no remission of symptoms were seen. Again the Doctor was called who asked for a Urine check up which revealed the contents as Albumin +++pus cell+++RBC 1-2 per field, and the diagnosis was Urinary Infection and Allopathic treatment was continued for nearly 20 days, after confirming that it was probably Tubercular infection of the kidneys. Blood was examined and found that ESR was 40 in the first hour. 30 injections- of Streptomycin were administered but after 15 or 16 injections she developed severe headache with heaviness, dimness of vision, difficulty in accommodation. Could not distinguish the objects nearby. Cloudy feeling with humming noise in ears and blocking. Staggering while walking.

Nausea. In spite of these IS more Streptomycin injections were given. Day by day the condition of the patient became worse with the addition of Nausea with salivation, loss of memory, acute pain, splitting type in the head, mostly left sided with pain in the abdomen, drawing inside and descending to the leg-also with numbness of the head, left sided. Chilliness-Burning while passing urine-chest pain mostly left sided—also throat pain. As the patient was getting worse she was shifted to another Hospital where it was diagnosed as Pylo-Nephritis and Strepto-penicillin was administered which aggravated her complaints. She was brought to me on 31.8.1970 with Albumin+Pus cell+++ . On examination there was pain in the Rt. Hypochondriac region with tenderness in the Rt. Iliac fossa. She looked quite pale and prostrated. B. P. 120/70, weight 101, 31.8'70—Plumb, met 0/3/3 times.

5.9.70 Vertigo with pain in the Rt. side of the head with dimness and falling of hairs. As most of the symptoms were the side effects of Streptomycin, Streptomycin 200 one dose was given to be taken on the 1st day and subsequently Gels. 0/3/18/M. E.

11.9/70 Feels better, vertigo better, pain in the left hypochondriac region, intoxicated feeling. Streptomycin 200/-! dose—1st day.

15.9.70 Feels better. Vertigo better, headache, pain in the abdomen in the region of left hypochondriac region. Body pain. Streptomycin 200/1/1 st day.

30.9.70 Feels better, regarding all complaints. Streptomycin 200/1/Ist day.

10.10.70 Since 2 days slight fever and pain in the left side of the chest. Headache since 2 days. Staggering better, vertigo better. Meicxor 0/3/2H/3 times per day.

30.10.70 Feels better. No fever. No vertigo, but slight pain in the back. Urine on examination was found to contain trace of Albumin. No pus cells.

20.11.'70. Occasional pain in the abdomen. All other symptoms relating to side effects of Streptomycin were relieved completely and subsequent treatment was continued for kidney complaints. (Dr. R. P. Pate!)

Case No. 12

Drug. TETANUS ANTI-TOXIN.

Name: — A.; Aged 65, had injury on the finger by a sharp instrument. Had profuse bleeding for I hour. Was cleaned and dressed by an allopathic physician. Two hours later Anti-Tetanus injection was given after sensitive test. Had no reaction . But on the same night patient felt frequent desire for urination. When he got up at 2 A. M. while passing urine he fainted and was noticed that he had Oedema with itching all over the body with puffiness of the face. An Allopathic Doctor was called and he attributed the complaints due to the reaction of Anti-tetanus injection and said that they have nothing much to offer except to give a dose of Equibrom for sleep. In the morning I was called to see the patient. The following symptoms were noticed:—

1. Oedema with hardness in patches, in different parts all over the body.
2. Itching with soreness aggravated by sun heat and warmth. Itching once starts wants to go on till the parts become sore. Itching in various parts at the same time.
3. Chilliness without fever.
4. Loss of sleep—even with sedatives.
5. Rumbling in the abdomen with loose motion.
6. General weakness with prostration.
Above mentioned symptoms are definitely due to Anti-Tetanus reaction. (See page 62, what is Tautopathy?)

- 14.10.'70 Tetanus antitoxin 30—2 doses. M/E.
- 15.10.'70 Itching much better. Had good sleep. Oedema on the face better. Tetanus—Antitoxin 30/1 at bed time.
- 16.10/70 Oedema almost subsided. Itching much better. Gastric complaints better, but had profuse urination in the night. Soreness completely disappeared. Tetanus—Antitoxin 30/1 bed time.
- 17.10.'70 Oedema subsided. No itching. Feels much better. Followed by S. L.

Case No. 13

5. Mr. M., Aged 27, came for consultation on 6-7-70 with the following symptoms.

Blister like eruptions started 3 months ago—whilst he was travelling with a friend on the scooter. Thinking it was a burn due to the exhaust pipe, he applied Burnol by which externally a scab was formed, but had a suppuration below the scab. Removed a part of the surface with a blade and after that suppuration increased, and inspite of Allopathic medicines and injections there was no relief. According to the Doctor's suggestion sulphathiazole powder was applied on the surface and afterwards itching eruptions started all over the body, over the face and extremities. Took Anti-allergic tablets which relieved for sometime, but gradually pustular eruptions appeared around mouth and face. He was given Penicillin injections. But then an ulcer started with suppuration on the leg. After injection of Penicillin aggravation of all symptoms—had fissures on the soles, itching of the Rt. ear and pain along the jaw with oozing from ear. Heaviness of the head with feverishness. Patient unable to walk due to the eruptions and ulcers with oedema on the feet.

P. H. Jaundice in 1957, Oedema of body in childhood—scabies in child hood-vaccination 4 times—Dislikes summer, sleep aggravates. Likes covering, likes cold bath, desire for sweet.
Mild temperament, hurries, suspicious, weeps easily, consolation relieves, desire company. & P. 104/70.

6.7.'70 Thiazamide 6/12/M. E. were given for 6 days.

11.7.'70 Skin complaints better—Slight itching—pains slight in the ulcerated part. Thiazamide 6/12/M. E.

17.7.70 Itching better. No oozing—no eruptions—Thiazamide 6/12/M. E.

27.7.70 Slight itching—Face clear—no eruptions. No oozing. Thiazamide 6/20/M, E.

17.8.70 N. P. No eruptions. No itching. Feels better. Thiazamide 6/20/M. E.

31.8.70 Feels better. Slight itching—S. L. 30/M. E.

16.9.70 Feels better. Thiazamide 6/15/Morning.

15.10.70 Feels better. S. L.

N. B. Thiazamide is Sulphathiazole i. e. **M. & B.** 760.
(Dr. R. P. Patel)

Case No. 14 (A 6043) Mr. K. V. S. Age 65 yrs.

Had severe cough 3 months ago, Was X-Rayed. Diagnosis-Pulmonary Tuberculosis. He was given Streptomycin injections-nearly 50; followed by reactions,-Rash all over the body with burning sensation. Allergic to Ethambutol Given Garamycin but developed oedema all over the body with black discoloration on the body, itching and burning. Redness of eyes with pain. Had blocking of ears with vertigo during Streptomycin injections. Skin peels off. Gas trouble. Fainting-twice. Cough, persistent at night. Evening rise of temperature. P. H. Nil. F. H., T. B. (Sister). Hot blooded, worse night. Depressed, Sad, Fear of disease, desire for company. Blood Ex, W.B.C. 15000, P67%, L24%, M 1%, E 8%, ESR 88 mm/1 hr.

- 3- 2-84—Streptomycin 30, morning & evening for 15 days.
- IS- 2-84—All reactions subsided. Pain and swelling of breast. Ars. iodide 0/3/60 Morning and Evening.
- 19- 3-84—Feels better. Cough better. No temperature. No vertigo-Ars. Iodide 0/3 and *it* was continued for one year.
- 22- 4-85—No complaints.

Case No. 15 Mr. R. J. Age 62 yrs.

Had a toothache. Was given Terramycin Capsules when toothache was relieved but an Ulcer on left side of lower lip developed. Had itching first followed by ulceration. Had itching of glans penis and difficulty to retract the foreskin. Had similar ulcer on lip, years back.

—Diabetic since 10 yrs. B.S. Fasting 158 mgs% and 266 mgs% random.

- 9-7-86—Terramycin 30, Morning & Evening for 15 days.
- 2- 8-86—Ulcer on lip better, spots better-Terramycin 30, Morning & Evening for 15 days.
- 8-10-86—Feels better. Ulcer on lip healed. Retraction of foreskin slightly difficult. -Merc Sol 0/3, Morning & Evening.
- 10-11-86—Feels better and now his diabetic condition is being treated.

Case No. 16 (B 2453) Master V. E. A. age 10 yrs.

Had injury in the leg and ATS was gives, followed by retention of urine since -last 6 months off and on. First he was hospitalised for retention of urine and pain in the abdomen. Catheterized 2 times, followed by free urine for one month. Again retention of urine. X-Ray, IVP findings were negative. Myelogram- suspected nerve damage. X-Ray showed slight disc widening. Was complaining of occasional back pain. No sensation of passing urine. No distension, no discomfort, if urine is not voided but feels fullness, occasionally. Now painful urination at the onset. Urine comes in drops. Urine culture-shows NAD. Motion-hard, difficult, 5-6 days interval since 2-3 months. Appetite-good.

PH—Had fall from tree, squatting down, 3 yrs. ago.
Hot blooded. Sleeps with legs crossed. Obstinate, fear of dark, weeping mood.

22-10-86—Causticum 0/3/60 Morning and Evening.

28-11-86—Itching in scrotum, slight pain during micturition. Pain in the left buttocks where ATS injection was given 6 months ago. Tetanus Antitoxin 30/20, Morning & Evening.

31-12-86—Urine passes in drops-Tetanus Antitoxin 30/20, Morning & Evening.

10- 1-87—At times high coloured urine. No difficulty in passing urine. Causticum 0/3/40 Morning & Evening,

15- 1-87—Cold attack with cough. No urinary complaints-Bryonia 0/3, Morning & Evening.

2- 2-87—Free from urinary troubles.

Case No. 17 (B 2985) Mr. N. R. B. agtf 19 yrs.

Redness of Eyes-especial iy Right eye after using Terramycin ointment for Conjectivitis-2 yrs ago. Takes internal allopathic medicines including steroids then. There is relief but no cure. It reoccurs again and again with redness and itching, at times. Slight vision defect with right eye noticed recently on reading, if left eye is closed, photophobia-in bright sunlight. Strain in Rt. eye if writing continuously. Appetite normal. Cold attack

occasionally. Hot Blooded. Desires bath. Better by sleep. Company aversion, Consolation better, weeps.

12-12-86—Terramycin 30C, Morning and Evening for 15 days.

27-12-86—Feels >. irritation in Rt. eye. Kali iodide 0/3, Morning ' & Evening for 15 days.

14- 2-87— Came with dimness of eyes, had jaundice, mild pain with slight redness- Terramycin 30, Morning & Evening for 30 days.

12- 6-87—No complaints-No medication.

BIBLIOGRAPHY

References:

- (1) The Life and Letters of Dr. Samuel Hahnemann by T. L. Bradford.
- (2) Materia Medica Pura by Dr. Samuel Hahnemann, Germany.
- (3) The Contribution of Homoeopathy to the Development of Medicine by Dr. O. Leezer, Germany.
- (4) What is a Homoeopathic Dilution by A. Berne France.
- (5) The Spirit of the Homoeopathic Medical Doctrine by Dr. Hahnemann.
- (6) Light and Darkness by B. K. Bose M. D., India.
- (7) Seven Deadly Sins by Dr. R. P. Patel, India.
- (8) The Homoeopathic Pharmacopoeia by M. Bhattacharya, India.
- (9) Potency—Frequency—Efficacy—Dr. Carlotta, England.
- (10) Organon of Medicine by Dr. Samuel Hahnemann. 5th Edn.
Dr. R. E. Dudgeon, England,
- (11) Homoeopathy and Modern Research by Dr. W. E. Boyd, Glasgow
- (12) Possibilities in the Electromagnetic Conception of Disease, Dr. G. R. Mithel, England.
- (13) Lectures on Homoeopathic Philosophy by Dr. Stuart Close.
- (14) Organon of Medicine—Commentary by B. K. Sarkar.
- (15) Homoeopathy and Chemotherapy by O. Leezer, M. D., Germany.
- (16) Individualism in Medicine. Dr. T. D. Ross M. B. CH., B. B. H., Journal 1952.
- (17) A Layman Speaks Dr. Clinton R. Padelford. U, S. A. (Hahnemann).
- (18) Dr. W. O. West-Perforations and Haemorrhage from Duodenal ulcer. Caused by Rauwolfia.
Journal of the Indian Medical Association 1959 Feb.
- (19) B. M. J. No. 8. 1958.
- (20) Lancet 18th Feb. J 958.
- (21) The British Medical Journal 'Streptomycin' 1952.
- (22) present day need of Homoeopathy by Dr. Alva Benjamin M. B. c. it. M. F. Horn.
- (23) Report of World Health Organisation 1955.

- (24) Cancer on the increase by A. B. G. 1956. Hahnemann Gleanings.
- (25) The Right of the free man and Vaccination. Dr. S. M. Bhattacharjee. Jan. 1957. Hahnemann Gleanings.
- (26) Genius of Homoeopathic Philosophy, Dr. Stuart Close M. O.
- (27) Homoeopathy's place in Medicine, Dr. A. H. Grimmer, M. D., U. S. A., Hahnemann Gleanings Jan. 1957.
- (28) Homoeopathy in the Treatment of Pneumonia and Acute Bronchitis, Dr. M. Foubister, M. D. D., C. H., F. K. HOM., B. H. Journal 1956.
- (29) Homoeopathic Technique by T. K. Moore, M. D.
- (30) Miracle Drugs, Million-Dollar Nonsense, Pageant 1951.
- (31) Journal of Indian Medical Association 1959 February.
- (32) Community Health—Dr. G. A. Khan, Pakistani Homoeopathic Bulletin 1953.
- (33) Is Homoeopathy Longer Needed? by J. D. Yarney, M. D.
- (34) Science News Letter April 1952.
- (35) Forty years of Homoeopathic Practice by Sir John Weir— British Homoeopathic Journal, 1952.
- (36) Man the Unknown by Alexis Carrel.
- (37) B. M. J. 1951. Dr. John A. Ryle on Vaccine Therapy.
- (38) Journal of Obstetrics and Gynaecology of British Empire. 1947.
- (39) An Immunologist Speaks on Polio by Dr. Roger A. Schmidt, California.
- (40) Diagnosis and Treatment of Ear, Nose and Throat diseases by Heary M. Sage, M. D.
- (41) Text Book of Practice of Medicine by Dr. F. W. Price.
- (42) Organon of Medicine. 5th and 6th Editions by Dr. Hahnemann.
- (43) Pathology by Dr. Boyd.
- (44) Applied Pathology by Dr. Clark.
- (45) Influences of Infinitesimal Doses on Elimination Kinetics by Lise Warmser (British Homoeopathic Journal) Oct. 1957.
- (46) The 50 Millesimal.
- (47) Up-to-date with Nosodes by Dr. B. K. Sarkar.
- (48) Hahnemannian Provings by Dr. James Stephenson.
- (49) Key-notes with Nosodes by Dr. H. C. Allen.

Distributed by

Indian Books & Periodicals Publishers
B-5 / 62, Dev Nagar, Pyare Lal Road,
Karol Bagh, New Delhi – 110005

Published by

Hahnemann Homoeopathic Pharmacy
Hahnemann House, College Road,
Kottayam – 686001,
Kerala, India